2020 | CAT®

ATTACHMENTS

SKID STEER LOADERS

COMPACT TRACK LOADERS

ATTACHMENTS

SSL/CTL

INDEX

AUGER DRIVES 4
- STANDARD DUTY 4
- ROCKHEAD - BOLT-ON 4
- INDUSTRIAL 5
- INDUSTRIAL ROCK 5
- TREE 6
- ADAPTERS AND EXTENTIONS 6

SKID STEER LOADER BACKHOE - BH130 7
- 3 TON COUPLER 7
- 3 TON RIPPER 7
- 3 TON THUMB 7
- 3 TON CEMETERY BUCKET 8
- 3 TON HEAVY DUTY BUCKET 8
- 3 TON DITCH CLEANING BUCKET 8
- 3 TON AUGER DRIVES 9
- 3 TON COMPACTION WHEEL - PIN-ON 9
- VIBRATORY PLATE COMPACTOR 10
  - BRACKET 10
  - BACKFILL BLADE 10
  - SWIVEL HEAD 10

SCRAP SHEAR 10
BALE GRABS 11
BALE SPEARS 11
ANGLE BLADES 12
DOZER BLADES - 6-WAY 12
BOX BLADES 13
GRADER BLADES 13
ANGLE BROOMS 14

ATTACHMENTS

SSL/CTL

INDEX

PICKUP BROOMS 15
UTILITY BROOMS 15
INDUSTRIAL BRUSHCUTTERS 16
BRUSHCUTTERS 16
BUCKETS 17
- GENERAL PURPOSE 17
- INDUSTRIAL PERFORMANCE 18
- LOW PROFILE 18
- LIGHT MATERIAL 19
- MATERIAL HANDLING 19
- MULTI PURPOSE 20
- UTILITY 20
- SKELETON 21
- MIXING 21

COLD PLANERS 22
VIBRATORY DRUM COMPACTORS 23
FORKS 23
- HEAVY DUTY CARRIAGE AND FORKS 23
- PALLET FORKS AND CARRIAGE 24
- UTILITY 24
- UTILITY GRAPPLE 24
- INDUSTRIAL GRAPPLE 25

INDUSTRIAL GRAPPLE BUCKETS 25
INDUSTRIAL GRAPPLE RAKES 25
UTILITY GRAPPLE BUCKETS 26
HAMMERS 26
HAMMERS - TOOLS 28
LANDSCAPE RAKES 29
LANDSCAPE TILLERS 29
MATERIAL HANDLING ARM 30
SIDE DISCHARGE BUCKETS 30
MULCHERS 31
MULCHERS - BITE LIMITER 31
POWER BOX RAKES 32
WHEEL SAWS 33
SILAGE DEFACERS 34
STUMP GRINDERS 34
TRENCHERS 35
- TRENCHER CHAINS 36
- CRUMBER ARM 37
- CRUMBER ARM SHOES 37

SNOW PUSHES 38
- SNOW PUSH - BACK DRAG EDGES 39

SNOW BLOWERS 40
SNOW PLOWS 41
SNOW MULTI V-PLOWS 42
SNOW WINGS 42

PRICES IN THIS CATALOG ARE ACCURATE AS OF JANUARY 2020 BUT ARE SUBJECT TO CHANGE. PLEASE CONTACT YOUR LOCAL DEALER SALES REPRESENTATIVE TO REQUEST A CURRENT QUOTE.

Throughout the book, abbreviations will be used for hydraulic flow capabilities for space constraints. STD Flow will be Standard Flow, HF will be High Flow, High Flow XPS will be HF XPS, and High Flow XHP/XE will be XHP/XE. Please contact your local Cat dealer for additional details on compatibility. Attachments are compatible with all Cat Skid Steer Loader, Multi Terrain Loader, and Compact Track Loader unless otherwise noted. Please consult price pages for final compatibility.

AUGER DRIVES

AUGER DRIVES			
MODEL - Current	A14B	A19B	A26B
MODEL - Future	A23	A41	A68
Overall Height - in (mm)	40 (1020)	37 (934)	39 (978)
Weight - lb (kg)	223 (101)	366 (166)	401 (182)
Drive Shaft Torque at Max Pressure - lbs ft (N m)	1699 (2304)	3037 (4118)	5035 (6826)
Required Hydraulics	STD Flow	STD Flow	HF / HF XPS
Part Number	218-3178	219-7706	424-0440
Price	$	$	$



AUGER - STANDARD DUTY

AUGER BITS - STANDARD DUTY					
Diameter - in (mm)	4 (102)	6 (152)	9 (229)	12 (305)	15 (381)
Overall Length - in (mm)	48 (1219)	49 (1238)	49 (1238)	50 (1279)	51 (1289)
Weight - lb (kg)	40 (18)	51 (23)	75 (34)	101 (46)	111 (50)
Number of Teeth	pilot only	2	3	4	5
Part Number	366-7751	153-4083	153-4084	153-4085	366-7752
Price	$	$	$	$	$

AUGER BITS - STANDARD DUTY (CONT.)				
Diameter - in (mm)	18 (457)	24 (610)	30 (762)	36 (914)
Overall Length - in (mm)	50 (1279)	51 (1289)	50 (1279)	50 (1279)
Weight - lb (kg)	143 (65)	203 (92)	282 (128)	381 (173)
Number of Teeth	6	8	10	12
Part Number	153-4086	153-4089	217-3194	153-4091
Price	$	$	$	$

AUGER - ROCK HEAD BOLT-ON

AUGER BITS - ROCK HEAD*						
Diameter - in (mm)	6 (191)	9 (267)	12 (343)	15 (419)	18 (495)	24 (648)
Overall Length - in (mm)	9 (238)	10 (251)	10 (251)	10 (263)	11 (276)	12 (302)
Weight - lb (kg)	23 (11)	33 (15)	41 (19)	47 (21)	55 (25)	79 (36)
Number of Teeth	8	10	12	14	16	20
Part Number	372-0230	372-0231	372-0232	372-0233	372-0234	372-0235
Price	$	$	$	$	$	$

*BOLT-ON ROCK HEAD USED WITH STANDARD FLIGHTS

AUGER - INDUSTRIAL

AUGER BITS - INDUSTRIAL					
Diameter - in (mm)	6 (152)	9 (229)	12 (305)	16 (407)	18 (457)
Overall Length - in (mm)	48 (1224)	48 (1220)	48 (1219)	48 (1221)	48 (1224)
Weight - lb (kg)	57 (26)	73 (33)	90 (41)	115 (52)	108 (49)
Number of Teeth	2	4	4	6	6
Part Number	372-0260	372-0261	372-0262	372-0263	372-0264
Price	$	$	$	$	$

AUGER BITS - INDUSTRIAL (CONT.)					
Diameter - in (mm)	24 (610)	30 (762)	36 (914)	42 (1067)	48 (1219)
Overall Length - in (mm)	48 (1219)	48 (1219)	48 (1219)	48 (1219)	48 (1220)
Weight - lb (kg)	150 (68)	181 (82)	223 (101)	291 (132)	344 (156)
Number of Teeth	8	12	12	16	16
Part Number	372-0265	372-0266	372-0267	372-0268	372-0269
Price	$	$	$	$	$

AUGER - INDUSTRIAL ROCK

AUGER BITS - INDUSTRIAL ROCK					
Diameter - in (mm)	6 (152)	9 (229)	12 (305)	16 (406)	18 (457)
Overall Length - in (mm)	48 (1222)	48 (1222)	48 (1222)	48 (1221)	48 (1221)
Weight - lb (kg)	79 (36)	108 (49)	135 (61)	168 (76)	192 (87)
Number of Teeth	8	10	12	15	16
Part Number	372-0270	372-0271	372-0272	372-0273	372-0274
Price	$	$	$	$	$

AUGER BITS - INDUSTRIAL ROCK (CONT.)				
Diameter - in (mm)	20 (508)	24 (610)	30 (762)	36 (914)
Overall Length - in (mm)	48 (1221)	48 (1222)	48 (1222)	48 (1222)
Weight - lb (kg)	218 (99)	282 (128)	311 (141)	410 (186)
Number of Teeth	17	20	24	26
Part Number	372-0275	372-0276	372-0277	372-0278
Price	$	$	$	$

AUGER - TREE

AUGER BITS - TREE		
Upper Diameter - in (mm)	24 (610)	36 (914)
Lower Diameter - in (mm)	12 (305)	18 (457)
Overall Length - in (mm)	51 (1289)	51 (1288)
Weight - lb (kg)	163 (74)	309 (140)
Number of Teeth	5	7
Part Number	153-4092	153-4095
Price	$	$

RETENTION PIN KIT
372-0258

ADAPTERS AND EXTENSIONS		
Adapter, Hex - 2 in (50 mm) to Round - 2 9/16 in (65 mm)	156-6329	$
Adapter, Round 2 9/16 in (65 mm) to Hex 2 in (50 mm)	217-3191	$
Extension, Telescoping 3 ft (914 mm)	372-0256	$
Extension, Telescoping 6 ft (1829 mm)	372-0257	$
Extension, Auger 12 in (305 mm)	156-6328	$
Extension, Auger 24 in (610 mm)	217-3192	$
Retention Pin Kit	372-0258	$

EXTENSION - TELESCOPING
372-0256
3 ft (914 mm)

EXTENSION - TELESCOPING
372-0257
6 ft (1829 mm)

EXTENSION 156-6328
12 in (305 mm)

EXTENSION 217-3192
24 in (610 mm)

ADAPTER 217-3191
ROUND TO HEX

ADAPTER 156-6329
HEX TO ROUND

SKID STEER LOADER BACKHOE
BUCKET SOLD SEPERATLY

SKID STEER LOADER BACKHOE*	
MODEL	BH130
Max Digging Depth - in (mm)	117 (2972)
Operating Weight - lb (kg)	2325 (1055)
Overall Length - in (mm)	87 (2210)
Overall Operating Height - in (mm)	147 (3723)
Required Hydraulics	STD Flow
Auxiallary Hydraulics	STD Flow
SMART Attachment Recognition*	Yes
Part Number	551-6979
Price	$

*D3 Machines Only
**All Backhoe attachments are compatible with BH130 / BH150 / BH160

RIPPER 19 in (483 mm)
453-8570

THUMB - HYDRAULIC
452-2740

COUPLER 3 TON
Mechanical Dual Lock
444-7494

PINS - BUCKET (40 mm)
154-2638

3 TON
CEMETERY BUCKET

3 TON CEMETERY BUCKET BH130	
Width - in (mm)	32 (813)
Capacity - yd3 (L)	0.16 (0.19)
Weight - lb (kg)	273 (124)
Part Number	415-6725
Price	$

3 TON
HEAVY DUTY BUCKETS

3 TON HEAVY DUTY BUCKETS BH130							
Width - in (mm)	12 (305)	16 (406)	18 (457)	20 (508)	24 (619)	30 (762)	36 (914)
Capacity - yd3 (L)	1.7 (48)	2.5 (70)	2.9 (82)	3.3 (93)	4.2 (118)	5.6 (158)	7.1 (199)
Weight - lb (kg)	143 (65)	163 (74)	181 (82)	192 (87)	216 (98)	258 (117)	293 (133)
Part Number	464-9900	464-9901	464-9902	464-9903	464-9904	464-9905	464-9906
Price	$	$	$	$	$	$	$

3 TON
DITCH CLEANING BUCKETS

3 TON DITCH CLEANING BUCKETS BH130				
Width - in (mm)	40 (1000)	47 (1200)	47 (1200)	55 (1400)
Capacity - yd3 (L)	4.8 (135)	5.9 (167)	5.6 (159)	7 (197)
Weight - lb (kg)	240 (109)	236 (107)	358 (162)	259 (118)
Part Number	279-4322	279-4323	279-4325*	282-9315
Price	$	$	$	$

*Hydraulic Angling (Requires Aux Lines)

3 TON AUGER DRIVES

AUGER DRIVES BH130		
MODEL - Current	A14B	A19B
MODEL - Future	A23	A41
Overall Height - in (mm)	38 (958)	34 (875)
Weight - lb (kg)	265 (120)	203 (92)
Drive Shaft Torque at Max Pressure - lbs ft (N m)	1699 (2304)	3039 (4120)
Required Hydraulics	STD	STD
Part Number	218-3198	220-7137
Price	$	$

3 TON COMPACTION WHEELS

COMPACTION WHEELS PIN-ON BH130			
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)
Overall Width - in (mm)	12 (309)	16 (399)	22 (553)
Overall Height - in (mm)	32 (806)	33 (846)	33 (846)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)
Weight - lb (kg)	357 (162)	494 (224)	586 (266)
Number of Wheels	2	3	4
Part Number	517-6976	517-6977	517-6978
Price	$	$	$

VIBRATORY PLATE COMPACTOR

VIBRATORY PLATE COMPACTOR BH130	
MODEL	CVP16
Base Plate Width - in (mm)	12 (305)
Compaction Area - ft2 (mm2)	2 (405)
Base Plate Length - in (mm)	24 (605)
Required Hydraulics	STD Flow
Weight - lb (kg)	476 (905)
Part Number	551-4956
Price	$
Lines Gp - Pin-on	203-0977
Price	$
Lines Gp - Quick Coupler	203-0981
Price	$

BRACKET
532-9063

BACKFILL BLADE
222-6443

SWIVEL HEAD
265-7461

SCRAP SHEAR

SCRAP SHEAR	
MODEL - Current	S305
MODEL - Future	S308
Height - in (mm)	26 (660)
Width - in (mm)	15 (390)
Length - in (mm)	67 (1709)
Jaw Opening - in (mm)	9 (240)
Required Hydraulics	STD
Weight - lb (kg)	1213 (550)
Part Number	171-5495
Price	$

2020 CAT©

BALE GRABS

BALE GRABS		
Max Opening Width - in (mm)	71 (1803)	84 (2133)
Internal Width, Arms Closed - in (mm)	37 (940)	36 (918)
Overall Width - in (mm)	61 (1550)	64 (1631)
Overall Height - in (mm)	34 (873)	34 (873)
Overall Height - in (mm)	55 (1401)	55 (1401)
Bale Capacity - lb (kg)	2405 (1091)	2405 (1091)
Weight - lbs (kg)	575 (261)	580 (263)
Required Hydraulics	STD	STD
Part Number	477-9896	489-0075
Price	$	$

BALE SPEARS-SINGLE

BALE SPEARS-DUAL

BALE SPEARS				
Tine Configuration	Single	Single	Dual	Dual
Tine Length - in (mm)	39 (990)	49 (1245)	39 (990)	49 (1245)
Overall Depth - in (mm)	47 (1186)	57 (1443)	43 (1100)	53 (1347)
Overall Width - in (mm)	51 (1285)	51 (1285)	55 (1407)	55 (1407)
Overall Height - in (mm)	22 (570)	22 (570)	52 (1315)	52 (1315)
Bale Capacity - lb (kg)	2004 (909)	2004 (909)	3007 (1364)	3007 (1364)
Weight - lb (kg)	154 (70)	159 (72)	260 (118)	267 (121)
Part Number	475-6074	475-6079	475-6070	475-6080
Price	$	$	$	$

ANGLE BLADES

ANGLE BLADES		
Overall Width - in (mm)	75 (1893)	87 (2198)
Width Fully Angled - in (mm)	66 (1685)	77 (1949)
Length - in (mm)	30 (753)	30 (753)
Weight - lb (kg)	690 (313)	730 (331)
Required Hydraulics	STD Flow	STD Flow
Machine Type	SSL/CTL	SSL/CTL
Part Number	177-1989	177-1990
Price	$	$
Kit -Snow & Impact	225-9522	225-9523
Price	$	$

DOZER BLADE 6-WAY

DOZER BLADE 6-WAY			
Overall Width - in (mm)	79 (2007)	92 (2337)	92 (2337)
Width - Fully Angled - in (mm)	69 (1750)	81 (2049)	81 (2049)
Length - in (mm)	41 (1028)	41 (1028)	41 (1028)
Weight - lb (kg)	1085 (492)	1085 (492)	1164 (528)
Required Hydraulics	STD Flow	STD Flow	STD Flow
SMART Attachment Recognition	No	No	Yes
Part Number	541-0940	541-0945	*539-9210
Price	$	$	$

*D3 HF XPS OR D3 XE MACHINES ONLY

BOX BLADES

BOX BLADES		
MODEL	BB121	BB124
Working Width - in (mm)	84 (2131)	96 (2436)
Overall Width - in (mm)	87 (2221)	99 (2526)
Overall Length - in (mm)	81 (2062)	81 (2062)
Overall Height - in (mm)	106 (2694)	106 (2694)
Weight - lb (kg)	2000 (907)	2150 (975)
Required Hydraulics	STD Flow	STD Flow
Part Number	489-2001	489-2002
Price	$	$

GRADER BLADES

GRADER BLADES		
MODEL	GB120	GB124
Working Width - in (mm)	78 (1981)	96 (2438)
Overall Width - in (mm)	78.4 (1992)	96.5 (2450)
Overall Length - in (mm)	88 (2246)	88 (2246)
Overall Height - in (mm)	41 (1046)	41 (1046)
Weight - lb (kg)	2205 (1000)	2293 (1040)
Required Hydraulics	STD Flow	STD Flow
SMART Attachment Recognition	Yes	Yes
Part Number		
Price	$	$

ANGLE BROOMS

ANGLE BROOMS		
MODEL - Current	BA118C	BA118C
MODEL - Future	BA118	BA118
Width - in (mm)	104 (2637)	104 (2637)
Sweeping Width - in (mm)	83 (2119)	83 (2119)
Height - in (mm)	36 (918)	36 (918)
Length - in (mm)	69 (1741)	69 (1741)
Weight - lb (kg)	906 (411)	955 (433)
Required Hydraulics	STD Flow	STD Flow
Angling	Manual	Hydraulic
Part Number	448-5660	448-5670
Price	$	$

2020 CAT©

PICKUP BROOMS

PICKUP BROOMS		
MODEL - Current	BP115C	BP118C
MODEL - Future	BP115	BP118
Overall Width - in (mm)	78 (1990)	90 (2295)
Sweeping Width - in (mm)	60 (1524)	72 (1829)
Height - in (mm)	34 (872)	34 (872)
Length - in (mm)	72 (1837)	72 (1837)
Weight - lb (kg)	1160 (526)	1257 (570)
Required Hydraulics	STD Flow	STD Flow
Part Number	448-5680	448-5690
Price	$	$
Kit-Gutter Brush	452-4150	452-4150

UTILITY BROOMS

UTILITY BROOMS		
MODEL	BU115	BU118
Overall Width - in (mm)	71 (1810)	83 (2115)
Height - in (mm)	59 (1510)	73 (1865)
Length - in (mm)	31 (793)	31 (793)
Sweeping Width - in (mm)	59 (1490)	59 (1490)
Weight - lb (kg)	948 (430)	1036 (470)
Required Hydraulics	STD Flow	STD Flow
Part Number	493-2258	493-2259
Price	$	$
Kit-Gutter Brush	242-7200	242-7200
Kit-Gutter Brush Mounting	257-5229	257-5229

INDUSTRIAL BRUSHCUTTERS

INDUSTRIAL BRUSHCUTTERS			
MODEL	BRX118	BRX318	BRX418
Overall Width - in (mm)	75 (1911)	75 (1911)	75 (1911)
Cutting Width - in (mm)	72 (1829)	72 (1829)	72 (1829)
Maximun Cutting Diameter - in (mm)	8 (203)	8 (203)	8 (203)
Overall Height - in (mm)	29 (733)	29 (733)	29 (733)
Overall Length - in (mm)	85 (2170)	85 (2170)	85 (2170)
Weight - lb (kg)	2363 (1072)	2363 (1072)	2363 (1072)
Required Hydraulics	STD Flow	HF XPS	XHP / XE
Part Number	523-5560	523-5570	523-5580
Price	$	$	$

BRUSHCUTTERS				
MODEL - Current	BR160	BR166	BR172	BR378
MODEL - Future	BR115	BR117	BR118	BR320
Overall Width - in (mm)	62 (1575)	68 (1727)	74 (1880)	80 (2032)
Cutting Width - in (mm)	60 (1524)	66 (1676)	72 (1829)	78 (1981)
Maximum Cutting Diameter - in (mm)	3 (76)	3 (76)	3 (76)	3 (76)
Overall Height - in (mm)	21 (533)	21 (533)	20 (518)	21 (531)
Overall Length - in (mm)	73 (1854)	79 (2007)	85 (2159)	91 (2311)
Weight - lb (kg)	950 (431)	1049 (476)	1100 (499)	1180 (535)
Required Hydraulics	STD Flow	STD Flow	STD Flow	HF XPS
Part Number	264-9500	264-9600	264-9400	424-0436
Price	$	$	$	$

BRUSHCUTTERS

2020 CAT©

GENERAL PURPOSE BUCKETS WITH BOLT-ON CUTTING EDGE

GENERAL PURPOSE BUCKETS WITH BOLT-ON CUTTING EDGE					
Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2036)	86 (2188)
Capacity - yd3 (m3)	0.5 (0.36)	0.5 (0.4)	0.6 (0.44)	0.6 (0.48)	0.8 (0.63)
Height - in (mm)	17 (426)	17 (426)	17 (426)	17 (426)	19 (469)
Length - in (mm)	28 (708)	28 (708)	28 (708)	28 (708)	31 (797)
Weight - lb (kg)	441 (200)	551 (250)	598 (271)	631 (286)	723 (328)
Part Number	279-5365	279-5369	279-5373	279-5377	296-8192
Price	$	$	$	$	$

GENERAL PURPOSE BUCKETS WITH BOLT-ON TEETH

GENERAL PURPOSE BUCKETS WITH BOLT-ON TEETH					
Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2036)	86 (2188)
Capacity - yd3 (m3)	0.5 (0.36)	0.5 (0.4)	0.6 (0.44)	0.6 (0.48)	0.8 (0.63)
Height - in (mm)	17 (426)	17 (426)	17 (426)	17 (426)	19 (469)
Length - in (mm)	28 (708)	28 (708)	28 (708)	28 (708)	31 (797)
Weight - lb (kg)	408 (185)	509 (231)	549 (249)	582 (264)	670 (304)
Part Number	279-5366	279-5370	279-5374	279-5378	296-8191
Price	$	$	$	$	$

INDUSTRIAL PERFORMANCE BUCKETS WITH BOLT-ON CUTTING EDGE

INDUSTRIAL PERFORMANCE BUCKETS WITH BOLT-ON CUTTING EDGE					
Width - in (mm)	68 (1730)	74 (1883)	80 (2036)	86 (2188)	92 (2340)
Capacity - yd3 (m3)	0.7 (0.52)	0.7 (0.57)	0.8 (0.62)	0.9 (0.67)	0.9 (0.72)
Height - in (mm)	22 (568)	22 (566)	22 (566)	22 (566)	22 (566)
Length - in (mm)	40 (1022)	40 (1022)	40 (1022)	40 (1022)	40 (1022)
Weight - lb (kg)	701 (318)	740.8 (336)	778 (353)	816 (370)	855 (388)
Part Number	532-7738	532-7741	532-7744	532-7747	532-7750
Price	$	$	$	$	$

INDUSTRIAL PERFORMANCE BUCKETS WITH BOLT-ON TEETH

INDUSTRIAL PERFORMANCE BUCKETS WITH BOLT-ON TEETH					
Width - in (mm)	68 (1730)	74 (1883)	80 (2036)	86 (2188)	92 (2340)
Capacity - yd3 (m3)	0.7 (0.52)	0.7 (0.57)	0.8 (0.62)	0.9 (0.67)	0.9 (0.72)
Height - in (mm)	22 (568)	22 (550)	22 (550)	22 (550)	22 (550)
Length - in (mm)	43 (1092)	43 (1092)	43 (1092)	43 (1092)	43 (1092)
Weight - lb (kg)	664 (301)	695 (315)	730 (331)	763 (346)	361 (855)
Part Number	532-7739	532-7742	532-7745	532-7748	532-7751
Price	$	$	$	$	$

LOW PROFILE BUCKETS

LOW PROFILE BUCKETS WITH BASE EDGE				
Width - in (mm)	56 (1431)	68 (1730)	74 (1883)	80 (2036)
Capacity - yd3 (m3)	0.4 (0.3)	0.5 (0.37)	0.5 (0.41)	0.6 (0.44)
Height - in (mm)	19 (480)	19 (482)	19 (480)	19 (480)
Length - in (mm)	28 (722)	28 (722)	28 (722)	28 (722)
Weight - lb (kg)	337 (153)	428 (194)	456 (207)	498 (226)
Part Number	279-5434	279-5440	285-6089	268-4084
Price	$	$	$	$

2020 CAT©

LOW PROFILE BUCKETS WITH BOLT-ON CUTTING EDGE

LOW PROFILE BUCKETS WITH BOLT-ON CUTTING EDGE					
Width - in (mm)	56 (1431)	62 (1576)	68 (1576)	74 (1883)	80 (2036)
Capacity - yd3 (m3)	0.4 (0.3)	0.4 (0.34)	0.4 (0.34)	0.5 (0.41)	0.6 (0.44)
Height - in (mm)	19 (480)	19 (482)	19 (482)	19 (480)	28 (722)
Length - in (mm)	28 (722)	28 (722)	28 (722)	28 (722)	28 (722)
Weight - lb (kg)	392 (178)	452 (205)	512 (232)	547 (248)	584 (265)
Part Number	279-5435	279-5438	279-5441	285-6090	268-4083
Price	$	$	$	$	$

LIGHT MATERIAL BUCKETS

LIGHT MATERIAL BUCKETS WITH BOLT-ON CUTTING EDGE				
Width - in (mm)	74 (1883)	80 (2036)	86 (2185)	98 (2490)
Capacity - yd3 (m3)	0.9 (0.69)	1 (0.75)	1.1 (0.84)	1.2 (0.93)
Height - in (mm)	27 (695)	27 (695)	27 (695)	27 (695)
Length - in (mm)	33 (828)	33 (828)	33 (828)	33 (828)
Weight - lb (kg)	666 (302)	706 (320)	747 (339)	822 (373)
Part Number	279-5420	279-5425	279-5430	296-7597
Price	$	$	$	$

MATERIAL HANDLING BUCKETS

MATERIAL HANDLING BUCKETS WITH BOLT-ON CUTTING EDGE			
Width - in (mm)	86 (2185)	98 (2490)	104 (2642)
Height - in (mm)	30 (757)	30 (757)	30 (757)
Length - in (mm)	41 (1031)	41 (1031)	41 (1031)
Capacity - yd3 (m3)	1.4 (1.07)	1.6 (1)	1.7 (1.33)
Weight - lb (kg)	805 (365)	882 (400)	922 (418)
Part Number	472-2546	472-2548	469-0774
Price	$	$	$

MULTI PURPOSE BUCKETS WITH BOLT-ON CUTTING EDGE

MULIT PURPOSE BUCKETS WITH BOLT-ON CUTTING EDGE					
Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2036)	86 (2188)
Capacity - yd3 (m3)	0.4 (0.3)	0.4 (0.34)	0.5 (0.37)	0.5 (0.4)	0.6 (0.43)
Height - in (mm)	15 (388)	15 (388)	15 (388)	15 (388)	15 (388)
Length - in (mm)	29 (724)	29 (724)	29 (724)	29 (724)	29 (724)
Weight - lb (kg)	851 (386)	906 (411)	961 (436)	1016 (461)	1071 (486)
Part Number	431-5570	426-6490	426-6536	426-6548	426-6558
Price	$	$	$	$	$

MULTI PURPOSE BUCKETS WITH BOLT-ON TEETH

MULTI PURPOSE BUCKETS WITH BOLT-ON TEETH					
Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2036)	86 (2188)
Capacity - yd3 (m3)	0.4 (0.3)	0.4 (0.34)	0.5 (0.37)	0.5 (0.4)	0.6 (0.43)
Height - in (mm)	15.3 (388)	15 (388)	15 (388)	15 (388)	15 (388)
Length - in (mm)	27 (696)	29 (724)	29 (724)	29 (724)	29 (724)
Weight - lb (kg)	818 (371)	869 (394)	917 (416)	970 (440)	1019 (462)
Part Number	423-4287	426-6487	426-6535	426-6547	426-6557
Price	$	$	$	$	$

UTILITY BUCKETS

UTILITY BUCKETS WITH BOLT-ON CUTTING EDGE			
Width - in (mm)	62 1586)	68 (1730)	74 (1883)
Capacity - yd3 (m3)	0.6 (0.43)	0.6 (0.48)	0.7 (0.52)
Height - in (mm)	21 (533)	21 (533)	21 (533)
Length - in (mm)	31 (789)	31 (789)	31 (789)
Weight - lb (kg)	529 (240)	569 (258)	609 (276)
Part Number	285-6095	285-6100	285-6101
Price	$	$	$

2020 CAT©

SKELETON BUCKETS
PLATE TINE STYLE

SKELETON BUCKETS - PLATE TINE STYLE				
Width - in (mm)	73 (1849)	79 (2017)	86 (2182)	93 (2349)
Height - in (mm)	21 (544)	21 (544)	21 (544)	21 (544)
Length - in (mm)	44 (1115)	44 (1115)	44 (1115)	44 (1115)
Weight - lb (kg)	699 (317)	754 (342)	805 (365)	842 (382)
Part Number	553-2143	563-1393	563-1400	564-3039
Price	$	$	$	$

SKELETON BUCKETS
ROD TINE STYLE

SKELETON BUCKETS - ROD TINE STYLE			
Width - in (mm)	79 (2016)	86 (2206)	94 (2397)
Height - in (mm)	25 (644)	25 (644)	25 (644)
Length - in (mm)	47 (1199)	47 (1199)	47 (1199)
Weight - lb (kg)	741 (336)	800 (363)	860 (390)
Part Number	549-6561	549-6563	549-6565
Price	$	$	$

MIXING BUCKETS

MIXING BUCKETS		
MODEL	MB200	MB250
Capacity - yd3 (m3)	0.3 (0.2)	0.3 (0.25)
Overall Width - in (mm)	63 (1602)	63 (1605)
Height - in (mm)	29 (731)	35 (877)
Length - in (mm)	27 (694)	32 (814)
Weight - lb (kg)	639 (290)	948 (430)
Required Hydraulics	STD Flow	STD Flow
Part Number	489-2150	489-2200
Price	$	$

COLD PLANERS

COLD PLANERS				
MODEL	PC104	PC105	PC305	PC306
Working Width - in (mm)	14 (350)	18 (450)	18 (450)	24 (600)
Overall Width - in (mm)	68 (1728)	68 (1728)	73 (1858)	73 (1858)
Overall Length - in (mm)	44 (1117)	47 (1182)	49 (1248)	49 (1248)
Overall Height - in (mm)	37 (941)	37 (928)	37 (928)	37 (928)
Max Cutting Depth - in (mm)	6 (150)	6 (150)	6.7 (170)	7 (170)
Required Hydraulics	STD Flow	STD Flow	HF / HF XPS	HF / HF XPS
Weight - lb (kg)	1504 (682)	1629 (739)	1870 (848)	2108 (956)
Part Number	529-5760	529-5770	529-5780	529-5790
Price	$	$	$	$

COLD PLANERS (CONT.)					
MODEL	PC306 Water	PC310	PC306 XD	PC310 XD	PC406
Working Width - in (mm)	24 (600)	39 (1000)	24 (600)	39 (1000)	24 (600)
Overall Width - in (mm)	73 (1858)	73 (1858)	73 (1858)	73 (1858)	73 (1858)
Overall Length - in (mm)	49 (1248)	44 (1125)	49 (1248)	44 (1125)	49 (1248)
Overall Height - in (mm)	37 (928)	37 (935)	37 (928)	37 (935)	37 (928)
Max Cutting Depth - in (mm)	7 (170)	5 (130)	7 (170)	5 (130)	7 (170)
Required Hydraulics	HF / HF XPS	HF XPS	HF XPS	HF XPS	XHP / XE
Weight - lb (kg)	2685 (1218)	2293 (1040)	3109 (1410)	3838 (1741)	2176 (987)
Part Number	529-5791	529-5820	529-5840	529-5850	529-5800
Price	$	$	$	$	$

COLD PLANERS WITH WATER TANK

COLD PLANERS (CONT.)			
MODEL	PC406 Water	PC408	PC412
Working Width - in (mm)	24 (600)	30 (750)	47 (1200)
Overall Width - in (mm)	73 (1858)	73 (1858)	73 (1858)
Overall Length - in (mm)	49 (1248)	50 (1270)	45 (1140)
Overall Height - in (mm)	37 (928)	37 (951)	37 (935)
Max Cutting Depth - in (mm)	7 (170)	7 (170)	5 (130)
Required Hydraulics	XHP / XE	XHP / XE	XHP / XE
Weight - lb (kg)	2754 (1249)	2304 (1045)	2557 (2304)
Part Number	529-5801	529-5810	529-5830
Price	$	$	$

2020 CAT©

VIBRATORY DRUM COMPACTORS

VIBRATORY DRUM COMPACTORS		
MODEL - Current	CV16B	CV18B
MODEL - Future	CV117	CV119
Drum Width - in (mm)	66 (1676)	73 (1854)
Overall Width - in (mm)	73 (1854)	80 (2032)
Weight - lb (kg)	2064 (936)	2139 (970)
Required Hydraulics	STD Flow	STD Flow
Part Number	231-8600	231-8601
Price	$	$

HEAVY DUTY FORK CARRIAGE

HEAVY DUTY FORK CARRIAGE	
Length - in (mm)	11 (277)
Width - in (mm)	57 (1438)
Height - in (mm)	36 (910)
Weight - lb (kg)	320 (145)
Tine Spacing Range - in (mm)	16-50 (414-1266)
Part Number	532-7810
Price	$

HEAVY DUTY FORKS

HEAVY DUTY FORKS			
Tine Length - in (mm)	42 (1067)	48 (1219)	60 (1524)
Overall Length - in (mm)	45 (1067)	51 (1293)	63 (1598)
Width - in (mm)	5 (122)	5 (122)	5 (122)
Height - in (mm)	22 (549)	22 (549)	22 (549)
Weight - lb (kg)	260 (118)	291 (132)	348 (158)
Part Number	540-1431	540-1432	540-1433
Price	$	$	$

HEAVY DUTY FORKS HYDRAULIC POSITIONER KIT
556-3173

PALLET FORKS

PALLET FORKS		
Tine Length - in (mm)	42 (1070)	48 (1220)
Carriage Height - in (mm)	37 (934)	37 (934)
Carriage Width - in (mm)	46 (1164)	46 (1164)
Tine Width - in (mm)	4 (100)	4 (100)
Tine Thickness - in (mm)	2 (40)	2 (40)
Operating Weight - lb (kg)	410 (186)	430 (195)
Overall Length - in (mm)	52 (1332)	58 (1482)
Max Tine spacing (center to center)	40 (1008)	40 (1008)
Part Number	353-1696	353-1697
Price	$	$

UTILITY FORKS

UTILITY FORKS		
Width - in (mm)	66 (1676)	72 (1829)
Length - in (mm)	36 (924)	36 (924)
Height - in (mm)	23 (581)	23 (581)
Tine Width - in (mm)	1 (32)	1 (32)
Number of Tines	7	9
Weight - lb (kg)	437 (198)	485 (220)
Part Number	285-6105	285-6110
Price	$	$

UTILITY GRAPPLE FORKS

UTILITY GRAPPLE FORKS		
Width - in (mm)	66 (1676)	72 (1829)
Length - in (mm)	37 (939)	37 (939)
Usable Tine Length - in (mm)	25 (637)	25 (637)
Tine Diameter - in (mm)	1 (32)	1 (32)
Jaw Opening - in (mm)	35 (876)	35 (876)
Weight - lb (kg)	672 (305)	719 (326)
Required Hydraulics	STD Flow	STD Flow
Part Number	285-6114	285-6115
Price	$	$

INDUSTRIAL GRAPPLE FORKS

INDUSTRIAL GRAPPLE FORKS		
Width - in (mm)	66 (1676)	72 (1829)
Length - in (mm)	37 (927)	37 (927)
Height - Grapples Closed - in (mm)	32 (810)	32 (814)
Jaw Opening - in (mm)	38 (965)	38 (965)
Tine Diameter - in (mm)	2 (45)	2 (45)
Usable Tine Length - in (mm)	22 (553)	22 (553)
Number of Tines	9	11
Weight - lb (kg)	1107 (502)	1208 (548)
Required Hydraulics	STD Flow	STD Flow
Part Number	279-5350	279-5360
Price	$	$

INDUSTRIAL GRAPPLE BUCKETS

INDUSTRIAL GRAPPLE BUCKETS				
Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2035)
Length - in (mm)	30 (749)	30 (749)	30 (749)	30 (749)
Height - in (mm)	21 (525)	21 (525)	21 (525)	21 (525)
Jaw Opening - in (mm)	40 (1016)	40 (1016)	40 (1016)	40 (1016)
Weight - lb (kg)	1063 (482)	1111 (504)	1160 (526)	1202 (545)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	157-7226	157-7227	158-6095	217-6230
Price	$	$	$	$

INDUSTRIAL GRAPPLE RAKES

INDUSTRIAL GRAPPLE RAKES		
Width - in (mm)	72 (1829)	84 (2134)
Length - in (mm)	40 (1016)	40 (1016)
Height - in (mm)	33 (838)	33 (838)
Jaw Opening - in (mm)	37 (940)	37 (940)
Weight - lb (kg)	1070 (485)	1115 (506)
Required Hydraulics	STD Flow	STD Flow
Part Number	286-9300	286-9301
Price	$	$

UTILITY GRAPPLE BUCKETS

UTILITY GRAPPLE BUCKETS		
Width - in (mm)	68 (1730)	74 (1883)
Length - in (mm)	31 (789)	31 (789)
Height - Grapple Closed - in (mm)	21 (533)	21 (533)
Jaw Opening - in (mm)	36 (902)	36 (902)
Capacity - yd3 (m3)	0.6 (0.48)	0.7 (0.52)
Weight - lb (kg)	805 (365)	842 (382)
Required Hydraulics	STD Flow	STD Flow
Part Number	285-6111	285-6112
Price	$	$

HAMMERS (2 TOOLS INCLUDED)

HAMMER TOOL KIT INCLUDED WITH ALL HAMMERS

HAMMERS				
MODEL	B4	B4s	B6	B6s
Height Without Tool - in (mm)	33 (830)	34 (871)	37 (948)	39 (999)
Overall Height - in (mm)	48 (1224)	49 (1234)	56 (1422)	57 (1439)
Overall Length - in (mm)	11.8 (300)	11.8 (300)	12.4 (316)	12.4 (316)
Overall Width - in (mm)	13 (340)	13 (340)	17 (440)	17 (440)
Tool Shaft Diameter	2.1 (53)	2.1 (53)	3.1 (68)	3.1 (68)
Operating Weight - With Tool - lb (kg)	351 (159)	357 (162)	571 (259)	611 (277)
Minimum Operating Pressure	1494 (103)	1494 (103)	1770 (122)	1770 (122)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	532-9104	532-9204	532-9106	532-9206
Price	$	$	$	$

HAMMERS (CONT.)				
MODEL	B8	B8s	H55s	H65s
Height Without Tool - in (mm)	40 (1005)	41 (1050)	31 (784)	38 (953)
Overall Height - in (mm)	56 (1412)	56 (1420)	44 (1108)	52 (1324)
Overall Length - in (mm)	12 (316)	12 (316)	18 (451)	18 (451)
Overall Width - in (mm)	17 (440)	17 (440)	14 (346)	14 (346)
Tool Shaft Diameter	3 (75)	3 (75)	2 (58)	3 (68)
Operating Weight - With Tool - lb (kg)	1005 (456)	992 (450)	761 (345)	859.8 (390)
Minimum Operating Pressure	1697 (117)	1697 (117)	8 (30)	1450 (100)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	532-9108	532-9208	561-2551	561-2552
Price	$	$	$	$

MOIL

CHISEL INLINE

CHISEL CROSSCUT

CONE

BLUNT

SPADE PARALLEL

SPADE TRANSVERSE

HAMMER - TOOLS					
Tool	B4	B6	B8	H55	H65
Moil	532-9190	523-3193	532-9120	N/A	N/A
Price	$	$	$	$	$
Chisel, inline	542-1760	523-3191	532-9121	423-8310	423-8307
Price	$	$	$	$	$
Chisel, Crosscut	542-1761	523-3197	532-9119	428-8024	248-8022
Price	$	$	$	$	$
Cone	542-1758	523-3195	532-9118	423-8312	423-8308
Price	$	$	$	$	$
Blunt	542-1759	523-3196	532-9117	423-8314	423-8309
Price	$	$	$	$	$
Spade Parallel	N/A	N/A	N/A	433-9655	433-9653
Price	$	$	$	$	$
Spade Transverse	N/A	N/A	N/A	433-9654	433-9652
Price	$	$	$	$	$

2020 CAT©

LANDSCAPE RAKES

LANDSCAPE RAKES		
MODEL - Current	LR15B	LR18B
MODEL - Future	LR116	LR119
Working Width - in (mm)	62 (1576)	74 (1883)
Raking Width - in (mm)	55 (1384)	66 (1665)
Overall Width - in (mm)	66 (1683)	78 (1990)
Height - in (mm)	39 (989)	39 (989)
Length - in (mm)	48 (1620)	64 (1620)
Weight - lb (kg)	1312 (595)	1440 (653)
Required Hydraulics	STD Flow	STD Flow
Part Number	224-9220	224-9221
Price	$	$

LANDSCAPE TILLERS

LANDSCAPE TILLERS		
MODEL - Current	LT13B	LT18B
MODEL - Future	LT114	LT118
Working Width - in (mm)	53 (1354)	72 (1848)
Working Depth - in (mm)	6 (152)	6 (152)
Overall Width - in (mm)	70 (1789)	89 (2272)
Length - in (mm)	38 (956)	38 (956)
Height - in (mm)	30 (755)	30 (755)
Weight - lb (kg)	750 (340)	926 (420)
Required Hydraulics	STD Flow	STD Flow
Part Number	219-7165	219-0426
Price	$	$

MATERIAL HANDLING ARM

MATERIAL HANDLING ARM	
Overall Height - in (mm)	58 (1473)
Overall Width - in (mm)	52 (1316)
Retracted Length - in (mm)	40 (1016)
Max Horizontal Reach - in (mm)	84 (2134)
Max Load Rating - lb (kg)	2000 (907)
Weight - lb (kg)	280 (127)
Part Number	216-8756
Price	$

SIDE DISCHARGE BUCKETS

SIDE DISCHARGE BUCKETS				
MODEL	BD118 SAWDUST	BD121 SAWDUST	BD118 SAND	BD121 SAND
Inside Width - in (mm)	72 (1829)	84 (2134)	72 (1829)	84 (2134)
Width - in (mm)	75 (1900)	87 (2206)	75 (1900)	87 (2206)
Capacity - yd3 (m3)	2 (1.53)	2.3 (1.78)	1 (1.76)	1.3 (1.02)
Height - in (mm)	44 (1118)	44 (1118)	34 (867)	34 (867)
Length - in (mm)	57 (1451)	57 (1451)	50 (1269)	50 (1269)
Weight - lb (kg)	1180 (535)	1277 (579)	1058 (480)	1151 (522)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	477-9895	479-8085	479-8095	479-8105
Price	$	$	$	$

MULCHERS						
MODEL	HM112C	HM115C	HM215C	HM315C	HM415C	HM418C
Overall Width - in (mm)	60 (1518)	69 (1758)	69 (1758)	74 (1882)	74 (1882)	84 (2122)
Working Width - in (mm)	49 (1240)	58 (1480)	58 (1480)	62 (1582)	59 (1488)	67 (1707)
Overall Length - in (mm)	50 (1281)	50 (1281)	50 (1281)	58 (1481)	58 (1481)	58 (1481)
Weight - lb (kg)	1682 (763)	1803 (818)	1803 (818)	2959 (1342)	2961 (1343)	3197 (1450)
Required Hydraulics	STD Flow	STD Flow	HF	HF XPS	XHP/ XE	XHP/ XE
Part Number	475-2750	475-2760	475-2770	475-2780	475-2790	475-2800
Price	$	$	$	$	$	

MULCHERS

MULCHERS BITE LIMITER

MULCHERS - BITE LIMITER			
MODEL	HM316C	HM416C	HM418C
Overall Width - in (mm)	74 (1882)	74 (1882)	84 (2122)
Working Width - in (mm)	62 (1582)	62 (1582)	72 (1822)
Overall Length - in (mm)	58 (1480)	58 (1480)	58 (1480)
Weight - lb (kg)	3053 (1385)	3020 (1370)	3316 (1504)
Required Hydraulics	HF XPS	XHP/ XE	XHP / XE
Part Number	551-4680	551-4690	551-4700
Price	$	$	$

POWER BOX RAKES

POWER BOX RAKES					
MODEL - Current	PR172	PR172	PR184	PR184	PR190
MODEL - Future	PR118	PR118	PR121	PR121	PR123
Angle Control	MANUAL	HYDRAULIC	MANUAL	HYDRAULIC	HYDRAULIC
Overall Width - in (mm)	81 (2057)	81 (2057)	93 (2362)	93 (2362)	99 (2515)
Raking Width at Max Angle - in (mm)	68 (1727)	68 (1727)	79 (2007)	79 (2007)	85 (2159)
Overall Height - in (mm)	33 (847)	33 (847)	33 (847)	33 (847)	38 (953)
Weight - lb (kg)	900 (408)	926 (420)	1025 (465)	1049 (476)	1321 (599)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	277-8210	424-0420	277-8215	424-0421	424-0422
Price	$	$	$		$

2020 CAT©

WHEEL SAWS						
MODEL	SW345-80	SW345-130	SW360-80	SW360-100	SW360-130	SW360-160
Overall Width - in (mm)	65 (1655)	65 (1655)	65 (1655)	65 (1655)	65 (1655)	65 (1655)
Wheel Width - in (mm)	3 (80)	5 (130)	3 (80)	4 (100)	5 (130)	6 (160)
Overall Height - in (mm)	57 (1455)	57 (1455)	69 (1765)	69 (1765)	69 (1765)	69 (1765)
Length - in (mm)	85 (2165)	85 (2165)	95 (2417)	95 (2417)	95 (2417)	95 (2417)
Weight - lb (kg)	2482 (1126)	2240 (1016)	3175 (1440)	2943 (1335)	3009 (1365)	2899 (1315)
Max Cutting Depth- in (mm)	18 (450)	18 (450)	24 (600)	24 (600)	24 (600)	24 (600)
Required Hydraulics	HF / HF XPS	HF XPS	HF XPS	HF XPS	HF XPS	HF XPS
Trench Cleaning Device	No	Yes	No	Yes	Yes	Yes
Part Number	529-5880	529-5867	529-5860	529-5868	529-5869	529-5861
Price		$	$		$	

WHEEL SAWS (CONT.)						
MODEL	SW360-200	SW380	SW460-80	SW460-160	SW460-200	SW480
Overall Width - in (mm)	65 (1655)	65 (1655)	65 (1655)	65 (1655)	65 (1655)	65 (1655)
Wheel Width - in (mm)	8 (200)	10 (250)	3 (80)	3 (80)	8 (200)	10 (250)
Overall Height - in (mm)	69 (1765)	73 (1860)	69 (1765)	69 (1765)	69 (1765)	73 (1860)
Length - in (mm)	95 (2417)	102 (2600)	95 (2417)	95 (2417)	95 (2417)	102 (2600)
Weight - lb (kg)	2921 (1325)	3197 (1450)	3175 (1440)	2899 (1315)	2921 (1325)	3197 (1450)
Max Cutting Depth- in (mm)	24 (600)	32 (800)	24 (600)	24 (600)	24 (600)	32 (800)
Required Hydraulics	HF XPS	HF XPS	XHP / XE	XHP / XE	XHP / XE	XHP / XE
Trench Cleaning Device	Yes	No	No	Yes	Yes	No
Part Number	529-5862	529-5890	529-5863	529-5864	529-5865	529-5891
Price	$	$	$	$	$	$

SSL/CTL ATTACHMENTS | 2020

SILAGE DEFACERS

SILAGE DEFACERS			
MODEL	DFS118	DFS121	DFS124
Overall Width - in (mm)	73 (1841)	85 (2146)	97 (2451)
Overall Height - in (mm)	25 (639)	25 (639)	25 (639)
Weight - lb (kg)	937 (425)	1052 (477)	1109 (503)
Required Hydraulics	STD Flow	STD Flow	STD Flow
Part Number	477-9900	479-8090	479-8110
Price	$	$	$

STUMP GRINDERS

STUMP GRINDERS		
MODEL - Current	SG16B	SG18B
MODEL - Future	SG16	SG36
Cutting Depth (below ground) - in (mm)	21 (521)	21 (521)
Cutting Height (above ground) - in (mm)	19 (470)	19 (470)
Overall Height - in (mm)	29 (730)	32 (813)
Overall Length - in (mm)	68 (1737)	68 (1737)
Overall Width - in (mm)	46 (1175)	46 (1175)
Weight - lb (kg)	836 (379)	882 (400)
Required Hydraulics	STD Flow	HF / HF XPS
Part Number	424-0461	424-0460
Price	$	$

2020 CAT©

TRENCHERS							
MODEL - Current	T6B	T6B	T6B	T6B	T9B	T9B	T9B
MODEL - Future	T109	T109	T109	T109	T112	T112	T112
Side Shift Control	Manual	Hydraulic	Manual	Hydraulic	Manual	Hydraulic	Hydraulic
Cutting Width - in (mm)	6 (152)	6 (152)	8 (203)	8 (203)	6 (152)	6 (152)	8 (203)
Overall Width - in (mm)	56 (1426)	56 (1426)	56 (1426)	56 (1426)	75 (1901)	75 (1901)	75 (1901)
Overall Length - in (mm)	92 (2348)	92 (2348)	92 (2348)	92 (2348)	107 (2705)	107 (2705)	107 (2705)
Overall Height - in (mm)	31 (786)	31 (786)	31 (786)	31 (786)	31 (786)	31 (786)	31 (786)
Side Shift Travel - in (mm)	17 (419)	17 (419)	17 (419)	17 (419)	22 (559)	22 (559)	22 (559)
Standard Boom Length - in (mm)	36 (914)	36 (914)	36 (914)	36 (914)	48 (1219)	48 (1219)	48 (1219)
*Weight - lb (kg)	1012 (459)	1076 (488)	1028 (466)	1092 (495)	1076 (488)	1121 (509)	1186 (538)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow
With Chain							
*Standard	261-4806	261-4859	261-8557	261-8558	233-2346	241-4252	241-4253
Price	$	$	$	$	$	$	$
Combo	261-8559	261-8560	N/A	N/A	233-2350	241-4254	N/A
Price	$	$	$	$	$	$	$
Rockfrost	261-8561	261-8562	N/A	N/A	241-4251	241-4255	N/A
Price	$	$	$	$	$	$	$
Terminator	261-8563	261-8564	N/A	N/A	N/A	N/A	N/A
Price	$	$	$	$	$	$	$

* Weight with Standard Chain

STANDARD

ROCKFROST

COMBO

TERMINATOR

TRENCHERS (CONT.)		
MODEL - Current	T15B	T15B
MODEL - Future	T315	T315
Side Shift Control	Hydraulic	Hydraulic
Cutting Width - in (mm)	6 (152)	8 (203)
Overall Width - in (mm)	75 (1901)	75 (1901)
Overall Length - in (mm)	119 (3010)	119 (3010)
Overall Height - in (mm)	31 (786)	31 (786)
Side Shift Travel - in (mm)	22 (559)	22 (559)
Standard Boom Length - in (mm)	60 (1524)	60 (1524)
Weight - lb (kg)	1212 (550)	1287 (584)
Required Hydraulics	HF / HF XPS	HF / HF XPS
With Chain		
Standard	424-0471	424-0472
Price	$	$
Combo	424-0473	N/A
Price	$	$

TRENCHER CHAINS ONLY						
MODEL - Current	T6B	T6B	T9B	T9B	T15B	T15B
MODEL - Future	T109	T109	T112	T112	T315	T315
	6 in	8 in	6 in	8 in	6 in	8 in
Standard	259-0312	258-8644	189-5956	222-7916	189-5957	222-8523
Price	$	$	$	$	$	$
Combo	261-4860	N/A	222-7742	N/A	222-7747	N/A
Price	$	$	$	$	$	$
Rockfrost	261-4805	N/A	222-7743	N/A	N/A	N/A
Price	$	$	$	$	$	$
Terminator	243-6349	N/A	N/A	N/A	N/A	N/A
Price	$	$	$	$	$	$



CRUMBER ARM

TRENCHER CRUMBER ARMS			
MODEL - Current	T6B	T9B	T15B
MODEL - Future	T109	T112	T315
Part number	264-5714	264-7601	664-7602
Price	$	$	$

CRUMBER ARM SHOES		
Shoe	6 in to 8 in 152 mm to 202 mm	10 in to 12 in 254 mm to 305 mm
Part number	264-7597	264-7598
Price	$	$

SNOW PUSHES					
MODEL	8 ft (2.44 m)	8 ft (2.44 m)	8 ft (2.44 m)	10 ft (3.05 m)	10 ft (3.05 m)
Working Width - in (mm)	96 (2438)	96 (2438)	96 (2438)	120 (3048)	120 (3048)
Overall Width - in (mm)	101 (2553)	101 (2553)	101 (2553)	124 (3162)	124 (3162)
Trip Edge Height - in (mm)	36 (914)	39 (994)	39 (994)	36 (914)	39 (994)
Overall Height - in (mm)	36 (914)	34 (854)	34 (854)	36 (914)	34 (854)
Length - in (mm)	44 (1109)	45 (1143)	45 (1143)	44 (1109)	45 (1143)
Weight - lb (kg)	778 (353)	1036 (470)	1036 (470)	866 (393)	1153 (523)
Trip Edge Type	Rubber	Rubber	Steel	Rubber	Rubber
Cutting Edge	N/A	489-3913	489-3921	N/A	482-1496
Trip Edge	No	Yes	Yes	Yes	Yes
Part Number	509-3705	479-8115	479-8120	509-3706	479-8086
Price	$	$	$	$	$

SNOW PUSHES

SNOW PUSHES (CONT.)				
MODEL	10 ft (3.05 m)	12 ft (3.66 m)	12 ft (3.66 m)	12 ft (3.66 m)
Working Width - in (mm)	120 (3048)	144 (3658)	144 (3658)	144 (3658)
Overall Width - in (mm)	124 (3162)	149 (3772)	149 (3772)	149 (3772)
Trip Edge Height - in (mm)	39 (994)	36 (914)	39 (994)	39 (994)
Overall Height - in (mm)	34 (854)	36 (914)	34 (854)	34 (854)
Length - in (mm)	45 (1143)	44 (1109)	45 (1143)	45 (1143)
Weight - lb (kg)	1153 (523)	952 (432)	1347 (611)	1402 (636)
Trip Edge Type	Steel	Rubber	Rubber	Steel
Cutting Edge	482-7668	N/A	489-3929	489-3927
Trip Edge	Yes	No	Yes	Yes
Part Number	479-8096	509-3707	479-8089	479-8099
Price	$	$	$	$

BACK DRAG EDGES

BACK DRAG EDGES - SNOW PUSH			
MODEL	8 ft (2.5 m)	10 ft (3.1 m)	12 ft (3.7 m)
Steel Edge	481-3680	481-3686	481-3689
Price	$	$	$
Rubber Edge	481-3675	481-3676	481-3679
Price	$	$	$

SNOW BLOWERS

SNOW BLOWERS					
MODEL	SR115	SR118	SR121	SR318	SR321
Intake Width - in (mm)	51 (1290)	64 (1614)	77 (1942)	64 (1614)	77 (1942)
Cutting Height - in (mm)	34 (867)	34 (867)	34 (867)	34 (867)	34 (867)
Maximum Throw - ft (m)	40 (12)	40 (12)	40 (12)	40 (12)	40 (12)
Optimal Hyd Pressure - psi (bar)	3336 (230)	3336 (230)	3336 (230)	3336 (230)	3336 (230)
Overall width - in (mm)	62 (1572)	74 (1877)	86 (2181)	74 (1877)	86 (2181)
Overall height - in (mm)	73 (1843)	73 (1843)	73 (1843)	73 (1843)	73 (1843)
Overall length - in (mm)	37 (951)	38 (951)	38 (951)	38 (951)	38 (951)
Weight - lb (kg)	935 (424)	955 (433)	974 (442)	955 (433)	974 (442)
Required Hydraulics	STD Flow	STD Flow	STD Flow	HF / HF XPS	HF / HF XPS
Part Number	580-0607	546-4485	545-8977	546-4509	546-4504
Price	$	$	$	$	$

SNOW PLOWS

SNOW PLOWS					
MODEL	6 ft (1.8 m)	7 ft (2.1 m)	8 ft (2.4 m)	9 ft (2.7 m)	10 ft (3 m)
Width - in (mm)	72 (1826)	84 (2134)	96 (2435)	108 (2743)	120 (3045)
Overall Height - in (mm)	32 (800)	32 (800)	32 (800)	32 (800)	32 (800)
Blade Height - in (mm)	31 (797)	31 (797)	31 (797)	31 (797)	31 (797)
Length - in (mm)	49 (1247)	49 (1247)	49 (1247)	49 (1247)	49 (1247)
Weight - lb (kg)	992 (450)	1052 (477)	1107 (502)	1162 (527)	1217 (552)
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	481-3666	481-3667	481-3668	481-3669	481-3670
Price	$	$	$	$	$

SNOW MULTI V-PLOWS

SNOW MULTI V-PLOWS		
MODEL	5 ft (1.5 m)	7 ft (2.1 m)
Straight Width - in (mm)	60 (1524)	60 (1524)
Length - in (mm)	52 (1320)	52 (1320)
Overall Height - in (mm)	33 (826)	33 (826)
Weight - lb (kg)	639 (290)	639 (290)
Required Hydraulics	STD Flow	STD Flow
Part Number	542-7309	542-7310
Price	$	$

SNOW WINGS

SNOW WINGS		
MODEL	8 ft (2.4 m)	9 ft (2.8 m)
Working Width - Wings Open - in (mm)	161 (4083)	174 (4425)
Working Width - Wings Closed - in (mm)	96 (2445)	108 (2750)
Overall Height - in (mm)	36 (915)	36 (915)
Length - in (mm)	67 (1705)	67 (1705)
Weight - lb (kg)	17501 (794)	1821 (826)
Wing Rotation	180 °	180 °
Angling - Left /Right of Center	35 °	35 °
Required Hydraulics	STD Flow	STD Flow
Part Number	572-3142	572-3143
Price	$	$

2020 CAT©

ATTACHMENTS

SSL/CTL

AEXQ3015-00 (06-2020)
(Global)

© 2020 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without