


2020 | CAT®

ATTACHMENTS MINI HYDRAULIC EXCAVATORS

300.9 - 310






ATTACHMENT HANDBOOK INDEX

PIN COMPATIBILITY	4
PIN KITS.....	4
MACHINE HYDRAULIC CONFIGURATIONS.....	5
XTC MACHINE ATTACHMENTS.....	5
AUGERS DRIVE ASSEMBLIES	6
AUGER BITS.....	8
STANDARD DUTY	8
BOLT-ON ROCK HEAD.....	8
INDUSTRIAL	9
INDUSTRIAL ROCK	9
TREE	10
ADAPTERS AND EXTENSIONS.....	10
BUCKET TEETH	11
BUCKETS	13
DIGGING/ GENERAL PURPOSE.....	13
DITCH CLEANING	15
TILTING DITCH CLEANING.....	16
GRADING/ MUD.....	16
3 TON CEMETERY	17
GRADING/ CLEANING	17
HIGH CAPACITY	17
HEAVY DUTY	18
HEAVY DUTY ROCK.....	20
HEAVY DUTY CAPACITY	20





PART NUMBERS IN THIS BROCHURE INCLUDE THE NORTH AMERICA, SOUTH AMERICA, AUSTRALIA AND SOUTHEAST ASIA PART NUMBERS. A PORTION OF THE EUROPE, AFRICA, MIDDLE EAST AND CIS PART NUMBERS ARE INCLUDED AS WELL. PART NUMBERS ARE UPDATE TO DATE AS OF AUGUST 2020.

ATTACHMENT HANDBOOK INDEX

COMPACTION WHEELS	21
PIN ON	21
PIN LOCK.....	23
COUPLERS	25
PIN LOCK.....	25
DUAL LOCK™ -MANUAL.....	26
DUAL LOCK -HYDRAULIC	27
TILTING DUAL LOCK -HYDRAULIC.....	27
S-TYPE -HYDRAULIC	28
FLAIL MOWERS	29
HAMMERS	30
B MODELS	30
SIDE MOUNTED.....	32
H MODELS	33
HAMMERS - TOOLS	34
MULCHERS	36
RAKE	37
SCRAP SHEARS	37
RIPPERS	38
THUMBS	39
VIBRATORY PLATE COMPACTORS	40
TILT ROTATOR SYSTEMS	42
TRS6	42
TRS8	43
ADAPTERS SSL TO MHE	44
XTC 306 CR ATTACHMENTS	45

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

PIN COMPATABILITY

Machine Class	Pin Diameter	Legacy	Current
< 1 Ton	25 mm		300.9D
1 Ton	30 mm	301.4C / 301.5 / 301.6C / 301.7D / 301.7D CR / 301.8 / 301.8C	301.5 / 301.6 / 301.7 CR / 302 CR
2 Ton	35 mm	302.2D / 302.4D / 302.5C / 302.5	302.7D CR
3 - 4 Tons	40 mm	303C CR / 303E CR / 303.5C CR / 303.5D CR / 303.5E / 304D CR / 304.5E2 CR	303E CR / 303.5E2 CR / 304E2 CR
5 - 6 Tons	45 mm	304C CR / 305C CR / 305D CR / 305E CR / 305.5D CR / 305.5E CR / 305.5E2 CR / 306E2	305E2 CR / 306 CR
7 - 9 Tons	50 mm	307D / 307E / 307E2 and 308D / 308E CR / 308E2 CR	307.5 / 308 CR / 309 CR
10 Tons	60 mm		310 / BHL 450


* Not all machines models are available in all regions. Contact you local dealer for exact compatibility.

PIN KITS

Machine Class	Diameter	Kit- Pins	Price	Pin x 2	Cotter Pin x 2
< 1 Ton	25 mm	N/A	\$	373-5697	373-5664

PIN KITS

Machine Class	Diameter	Kit - Pins	Price
1 Ton	30 mm	154-2672	\$
2 Ton	35 mm	154-2683	\$
3 - 4 Tons	40 mm	154-2638	\$
5 - 6 Tons	45 mm	282-2785	\$
7 - 9 Tons	50 mm	308-0324	\$
10 Tons	60 mm	556-3635	\$



PIN KIT

MINI HYDRAULIC EXCAVATOR

ATTACHMENTS | 2020

MACHINE HYDRAULIC CONFIGURATIONS

		Machine Configuration				Machine Setup	
Attachment	Attachment Model	First Aux	Second Aux	Case Drain	Electrical Harness	1-way flow	2-way flow
Augers (legacy/current)	A7/A11, A14/A23, A19/A41, A26/A68	✓					✓
CVP	CVP16, CVP40	✓				✓	
Hammer	B1, B2, B4, B6, B8, B9 H35s, H45s, H55s, H65s, H80s, H95s	✓				✓	
Flail Mower	HMF110, HMF210	✓		✓	✓	✓	
Mulcher	HM208, HM210	✓		✓	✓	✓	
Tilting Ditch Cleaning Buckets	All	✓					✓
Scrap Shear (legacy/current)	S305/S308	✓	✓				✓
Tilt Rotate System	TRS6, TRS8	✓		✓	✓		✓
Thumb	Hydraulic	✓					✓
Grapple (legacy/current)	G107/G108	✓					✓

XTC MACHINE ATTACHMENTS

MACHINE SETUP

Attachment Skid Steer Loader	Attachment Model SSL	1-way-flow	2-way-flow
Multi-Purpose Buckets			✓
Angle Blade			✓
Trencher (legacy/current)	T9B/T112		✓
Power Box Rake (legacy/current)	PR172/PR118		✓
Angle Brooms	BA118		✓

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat® Augers offer different speed and torque options for work in a variety of soils. The speed and torque are engineered to extract soil efficiently and prevent stalling in dense ground. Select from a range of auger bits.



AUGER DRIVES

AUGER DRIVE ASSEMBLIES (INCLUDES BRACKET)

MODEL - Legacy	A7B	A7B	A14B
MODEL - Current	A11	A11	A23
Machine Class	1 Ton	2 Ton	2 Ton
Overall Height - in (mm)	35 (900)	35 (900)	37 (947)
Weight - lb (kg)	174 (79)	179 (81)	258 (117)
Drive Shaft Torque at Max Pressure - lb ft (N m)	815 (1105)	815 (1105)	1699 (2304)
Required Hydraulics	First Aux	First Aux	First Aux
Drive Method	Direct Drive	Direct Drive	Direct Drive
Part Number	218-3206	218-3207	218-3197
Price	\$	\$	\$

AUGER DRIVE ASSEMBLIES (INCLUDES BRACKET)

MODEL - Legacy	A14B	A19B	A19B	A26B	A26B
MODEL - Current	A23	A41	A41	A68	A68
Machine Class	3 - 4 Tons	3 - 4 Tons	5 - 6 Tons	5 - 6 Tons	7 - 9 Tons
Overall Height - in (mm)	38 (958)	34 (875)	34 (875)	36 (916)	36 (916)
Weight - lb (kg)	265 (120)	203 (92)	207 (94)	234 (106)	324 (147)
Drive Shaft Torque at Max Pressure - lbs ft (N m)	1699 (2304)	3039 (4120)	3039 (4120)	5035 (6826)	5035 (6826)
Required Hydraulics	First Aux	First Aux	First Aux	First Aux	First Aux
Drive Method	Direct Drive	Single Planetary	Single Planetary	Double Planetary	Double Planetary
Part Number	218-3198	220-7137	275-1000	275-1001	313-1460
Price	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



AUGER DRIVES AND BRACKETS					
MODEL - Legacy	A7B	A7B	A14B	A14B	A19B
MODEL - Current	A11	A11	A23	A23	A41
Machine Class	1 Ton	2 Ton	2 Ton	3 - 4 Tons	3 - 4 Tons
Drive	225-3893	225-3893	225-3895	225-3895	230-5578
Price	\$	\$	\$	\$	\$
Bracket	213-9238	213-8570	213-8570	213-8568	213-8568
Price	\$	\$	\$	\$	\$

AUGER DRIVES AND BRACKETS			
MODEL - Legacy	A19B	A26B	A26B
MODEL - Current	A41	A68	A68
Machine Class	5 - 6 Tons	5 - 6 Tons	7 - 9 Tons
Drive	230-5578	225-8809	225-8809
Price	\$	\$	\$
Bracket	275-0999	275-0999	
Price	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



AUGER BIT - STANDARD DUTY

AUGER BITS - STANDARD DUTY

Diameter - in (mm)	4 (102)	6 (152)	9 (229)	12 (305)	15 (381)
Overall Length - in (mm)	48 (1219)	49 (1238)	49 (1238)	50 (1279)	51 (1289)
Weight - lb (kg)	40 (18)	51 (23)	75 (34)	101 (46)	111 (50)
Number of Teeth	pilot only	2	3	4	5
Part Number	366-7751	153-4083	153-4084	153-4085	366-7752
Price	\$	\$	\$	\$	\$

AUGER BITS - STANDARD DUTY (CONT.)

Diameter - in (mm)	18 (457)	24 (610)	30 (762)	36 (914)
Overall Length - in (mm)	50 (1279)	51 (1289)	50 (1279)	50 (1279)
Weight - lb (kg)	143 (65)	203 (92)	282 (128)	381 (173)
Number of Teeth	6	8	10	12
Part Number	153-4086	153-4089	217-3194	153-4091
Price	\$	\$	\$	\$

AUGER BITS - BOLT-ON ROCK HEAD

Diameter - in (mm)	6 (191)	9 (267)	12 (343)	15 (419)	18 (495)	24 (648)
Overall Length - in (mm)	9 (238)	10 (251)	10 (251)	10 (263)	11 (276)	12 (302)
Weight - lb (kg)	23 (11)	33 (15)	41 (19)	47 (21)	55 (25)	79 (36)
Number of Teeth	8	10	12	14	16	20
Part Number	372-0230	372-0231	372-0232	372-0233	372-0234	372-0235
Price	\$	\$	\$	\$	\$	\$



**AUGER - BOLT-ON
ROCK HEAD**

- Requires standard flight
- Transforms a standard bit into an rock drill bit
- For severe ground conditions including rock and various types of concrete
- Bolt-on design for easy removal when returning to normal conditions

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



AUGER - INDUSTRIAL

AUGER BITS - INDUSTRIAL

Diameter - in (mm)	6 (152)	9 (229)	12 (305)	16 (407)	18 (457)
Overall Length - in (mm)	48 (1224)	48 (1220)	48 (1219)	48 (1221)	48 (1224)
Weight - lb (kg)	57 (26)	73 (33)	90 (41)	115 (52)	108 (49)
Number of Teeth	2	4	4	6	6
Part Number	372-0260	372-0261	372-0262	372-0263	372-0264
Price	\$	\$	\$	\$	\$

AUGER BITS - INDUSTRIAL (CONT.)

Diameter - in (mm)	24 (610)	30 (762)	36 (914)	42 (1067)	48 (1219)
Overall Length - in (mm)	48 (1219)	48 (1219)	48 (1219)	48 (1219)	48 (1220)
Weight - lb (kg)	150 (68)	181 (82)	223 (101)	291 (132)	344 (156)
Number of Teeth	8	12	12	16	16
Part Number	372-0265	372-0266	372-0267	372-0268	372-0269
Price	\$	\$	\$	\$	\$



AUGER - INDUSTRIAL ROCK

AUGER BITS - INDUSTRIAL ROCK

Diameter - in (mm)	6 (152)	9 (229)	12 (305)	16 (406)	18 (457)
Overall Length - in (mm)	48 (1222)	48 (1222)	48 (1222)	48 (1221)	48 (1221)
Weight - lb (kg)	79 (36)	108 (49)	135 (61)	168 (76)	192 (87)
Number of Teeth	8	10	12	15	16
Part Number	372-0270	372-0271	372-0272	372-0273	372-0274
Price	\$	\$	\$	\$	\$

AUGER BITS - INDUSTRIAL ROCK (CONT.)

Diameter - in (mm)	20 (508)	24 (610)	30 (762)	36 (914)
Overall Length - in (mm)	48 (1221)	48 (1222)	48 (1222)	48 (1222)
Weight - lb (kg)	218 (99)	282 (128)	311 (141)	410 (186)
Number of Teeth	17	20	24	26
Part Number	372-0275	372-0276	372-0277	372-0278
Price	\$	\$	\$	\$

- Excellent tooth retention while digging
- Allows for easy removal and installation

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



Tapered tip for drilling holes with a large mouth and narrow base to properly fit a root ball or holes with a small diameter to fill with mulch or fertilizer

AUGER BITS - TREE

Upper Diameter - in (mm)	24 (610)	36 (914)
Lower Diameter - in (mm)	12 (305)	18 (457)
Overall Length - in (mm)	51 (1289)	51 (1288)
Weight - lb (kg)	163 (74)	309 (140)
Number of Teeth	5	7
Part Number	153-4092	153-4095
Price	\$	\$

AUGER - TREE



**RETENTION PIN KIT
372-0258**

ADAPTERS AND EXTENSIONS

Adapter, Hex - 2 in (50 mm) to Round - 2 9/16 in (65 mm)	156-6329	\$
Adapter, Round 2 9/16 in (65 mm) to Hex 2 in (50 mm)	217-3191	\$
Extension, Telescoping 3 ft (914 mm)	372-0256	\$
Extension, Telescoping 6 ft (1829 mm)	372-0257	\$
Extension, Auger 12 in (305 mm)	156-6328	\$
Extension, Auger 24 in (610 mm)	217-3192	\$
Retention Pin Kit	372-0258	\$



**EXTENSION - TELESCOPING
372-0256
3 ft (914 mm)
3 adjustments spaced 1 ft (305) apart**

**EXTENSION 156-6328
12 in (305 mm)**



**EXTENSION 217-3192
24 in (610 mm)**

**ADAPTER 217-3191
ROUND TO HEX**



**ADAPTER 156-6329
HEX TO ROUND**



**EXTENSION - TELESCOPING
372-0257
6 ft (1829 mm)
6 adjustments spaced 1 ft (305) apart**

MINI HYDRAULIC EXCAVATOR

ATTACHMENTS | 2020

BUCKET TEETH		
		Description
	Long	• Best choice for most jobs • Good strength • Good penetration • Good wear material
	Light Duty Long	• Self-sharpening design and symmetrical shape • For use in low impact with low to medium abrasiveness
	Short	• More strength • Less wear material
	Wide	• Low penetration • Low impact applications • For use on smooth ground surfaces
	Penetration	• Very good penetration • Moderate impact for lower abrasive conditions • Less wear material
	Sharp Corner	• Best penetration • Easy wear material • DH-3 steel for greater wear
	Sharp- Center	• Excellent penetration • For use on chesive materials • Less wear material
	Sharp - Twin	• Very good penetration • For use on fracturable materials • Install in corner positions with spike centers
	Heavy Duty Long	• More wear material • For use on larger machines in general loading and excavation work
	Heavy Duty Abrasion	• Use on larger machines when working in sand, gravel and short rock • Maximum wear material • Least cost per hour • Less penetration
	Abrasion	• More wear material • Less penetration • For use in general more abrasive loading

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

BUCKET TEETH

Description	J200 (3-6 ton)	Price each	J225 (7-9 Ton) (10 Ton)	Price each
Long	1U-3202	\$	6Y-3222	\$
Retainer	8E-6209	\$	8E-6259	\$
Light Duty Long	449-2154	\$	N/A	\$
Short	N/A	\$	6Y-6221	\$
Wide	109-9200	\$	186-3010	\$
Penetration	1U-3209	\$	6Y-8229	\$
Sharp - Corner	9W-8208	\$	6Y-7228	\$
Sharp - Center	9W-8209	\$	6Y-7229	\$
Sharp - Twin	135-8208	\$	135-8228	\$
Heavy Duty Long	N/A	\$	8E-4222	\$
Heavy Duty Abrasion	N/A	\$	6Y-6223	\$
Abrasion	4T-2203	\$	N/A	\$
Heavy Duty Pin	8E-6208	\$	132-4762	\$
Heavy Duty Retainer - Assembly	8E-6209	\$	149-5733	\$



MINI HYDRAULIC EXCAVATOR

ATTACHMENTS | 2020

The shape of Cat buckets improve digging, loading and material retention. Each bucket is made of high-strength, tempered steel. Select from a range of bucket teeth.

Pin on buckets can be used in combination with applicable pin-grabber quick coupler.



**DIGGING / GENERAL PURPOSE
BUCKETS**

DIGGING BUCKETS / GENERAL PURPOSE		PIN ON
Machine Class	< 1 Ton	< 1 Ton
Width - in (mm)	10 (250)	15 (370)
Capacity - ft ³ (L)	0.5 (14)	0.6 (18)
Weight - lb (kg)	33 (15)	41 (18)
Part Number	373-4456	432-5173
Price	\$	\$

Digging Buckets are ideal for utility trenching, general excavating and back-filling in soft to moderate ground.

DIGGING / GENERAL PURPOSE BUCKETS						PIN ON
Machine Class	1 Ton	1 Ton	1 Ton	1 Ton	1 Ton	1 Ton
Width - in (mm)	9 (230)	12 (300)	16 (400)	18 (460)	20 (500)	24 (600)
Capacity - ft ³ (L)	0.65 (17)	0.78 (23)	1.16 (34)	1.4 (40)	1.59 (45)	1.97 (57)
Weight - lb (kg)	65 (29)	67 (31)	78 (35)	84 (38)	90 (41)	100 (45)
Part Number	147-1014	147-1018	147-1020	190-7387	147-1023	147-1026
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



DIGGING BUCKETS



DIGGING / GENERAL PURPOSE BUCKETS							PIN ON
Machine Class	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton
Width - in (mm)	10 (260)	12 (300)	16 (400)	18 (460)	20 (500)	24 (600)	28 (700)
Capacity - ft3 (L)	1 (27.45)	1.2 (34.29)	1.6 (45)	1.9 (53.5)	2.1 (59.7)	2.7 (76.19)	3.2 (92)
Weight - lb (kg)	103 (47)	101 (46)	111 (50)	119 (54)	129 (59)	143 (65)	156 (71)
Part Number	396-9302	396-9303	396-9304	396-9305	396-9306	396-9307	396-9308
Price	\$	\$	\$	\$	\$	\$	\$

DIGGING / GENERAL PURPOSE BUCKETS EXCLUDING 302.2D OR 302.4D*							PIN ON
Machine Class	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton
Width - in (mm)	10 (260)	12 (300)	16 (400)	18 (460)	20 (500)	24 (600)	28 (700)
Capacity - ft3 (L)	1.2 (34)	1.4 (39.6)	1.9 (53.8)	2.3 (65.1)	2.6 (73.6)	3.2 (90.6)	3.9 (111)
Weight - lb (kg)	112 (51)	111 (51)	121 (55)	130 (59)	140 (64)	155 (71)	170 (77)
Part Number	176-7283	153-7851	153-7854	190-7390	153-7857	153-7860	190-7391
Price	\$	\$	\$	\$	\$	\$	\$

*Buckets can not be used with 302.2D and 302.4D as buckets will come in contact with machine stick.

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

DITCH CLEANING BUCKETS

Ditch Cleaning Buckets are ideal for cleaning wide trenches, loading materials, slope cutting, grading and finishing work in construction, landscaping and road maintenance applications.



DITCH CLEANING BUCKETS						PIN ON
Machine Class	< 1 Ton	1 Ton	1 Ton	2 Ton	2 Ton	2 Ton
Width - in (mm)	28 (700)	32 (800)	39 (1000)	32 (800)	39.4 (1000)	47 (1200)
Capacity - ft3 (L)	1 (27)	1.5 (42.5)	2 (56.59)	2.8 (79.3)	3.6 (101.9)	4.1 (116.09)
Weight - lb (kg)	54 (25)	89 (41)	94 (43)	180 (81)	172 (78)	193 (88)
Part Number	373-4458	147-1029	147-1031	153-7863	153-7865	153-7867
Price	\$	\$	\$	\$	\$	\$

DITCH CLEANING BUCKETS							PIN ON
Machine Class	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Width - in (mm)	40 (1000)	47 (1200)	55 (1400)	47 (1200)	40 (1000)	51 (1300)	63 (1600)
Capacity - ft3 (L)	4.8 (135)	5.9 (167)	7 (197)	5.6 (158.6)	6 (169.9)	7.8 (220.3)	9.9 (279.8)
Weight - lb (kg)	240 (109)	236 (107)	259 (118)	358 (162)	259 (117)	261(118)	307 (139)
Part Number	279-4322	279-4323	282-9315	279-4325	279-4326	279-4327	279-4328
Price	\$	\$	\$	\$	\$	\$	\$

DITCH CLEANING BUCKETS						PIN ON
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	10 Ton	10 Ton	10 Ton
Width - in (mm)	48 (1219)	54 (1372)	60 (1524)	47 (1200)	59 (1500)	71 (1800)
Capacity - ft3 (L)	11.6 (329)	13.2 (375)	14.8 (421)	9.5 (270)	12.4 (350)	14.8 (420)
Weight - lb (kg)	477 (216)	517 (235)	557 (253)	357 (162)	417 (189)	476 (216)
Part Number	306-5664	306-5662	306-5660	547-7081	547-7082	547-7083
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Tilting Ditch Cleaning Buckets are ideal for cleaning wide trenches, loading materials, slope cutting, grading and finishing work in construction, landscaping and road maintenance applications.



**TILTING DITCH CLEANING
BUCKET
PIN-ON**

TILTING DITCH CLEANING BUCKET				PIN ON
Machine Class	1 Ton	2 Ton	3 - 4 Tons	5 - 6 Tons
Width - in (mm)	39 (1000)	43 (1100)	47 (1200)	63 (1600)
Capacity - ft3 (L)	2 (56)	3.9 (109.9)	5.6 (158.6)	9.9 (279.8)
Weight - lb (kg)	115 (52)	294 (133)	358 (162)	552 (251)
Part Number	244-3073	246-0094	279-4325	274-9022
Price	\$	\$	\$	\$



GRADING / MUD BUCKET

Grading Buckets are designed to provide optimum grading, trenching, slope-cutting and finishing work in addition to nesting additional buckets for ease of transportation.

GRADING / MUD BUCKET					PIN ON
Machine Class	1 Ton	2 Ton	3 - 4 Tons	5 - 6 Tons	5 - 6 Tons
Width - in (mm)	39 (1000)	39 (1000)	47 (1200)	47 (1200)	59 (1500)
Capacity - ft3 (L)	3.1 (88.1)	6.1 (173)	8.2 (232)	9.2 (259.9)	11.6 (329.9)
Weight - lb (kg)	128 (58)	181 (82)	381 (173)	411 (186)	491 (223)
Part Number	388-9661	388-9662	388-9663	388-9664	388-9665
Price	\$	\$	\$	\$	\$

GRADING / MUD BUCKET					PIN ON
Machine Class	7 - 9 Tons	7 - 9 Tons	10 Ton	10 Ton	10 Ton
Width - in (mm)	47 (1200)	59 (1500)	47 (1200)	59 (1500)	71 (1800)
Capacity - ft3 (L)	14.5 (410.6)	18.4 (521)	15.2 (430)	19.8 (560)	24 (680)
Weight - lb (kg)	615 (279)	762 (346)	706 (320)	822 (373)	937 (425)
Part Number	388-9666	388-9667	547-7084	547-7085	547-7086
Price	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



3 TON CEMETERY BUCKET

3 TON CEMETERY BUCKET		PIN ON
Machine Class		3 - 4 Tons
Interface Type		Pin On
Width - in (mm)		32 (813)
Capacity - yd3 (L)		0.16 (0.19)
Weight - lb (kg)		273 (124)
Part Number		415-6725
Price		\$



GRADING / CLEANING BUCKETS

GRADING / CLEANING BUCKETS			PIN ON
Machine Class	3 - 4 Tons	3 - 4 Tons	5 - 6 Tons
Width - in (mm)	32 (813)	43 (1067)	48 (1219)
Capacity - ft3 (L)	6.7 (0.119)	7.3 (0.207)	15 (430)
Weight - lb (kg)	311 (141)	313 (142)	389 (176)
Part Number	423-2737	415-5304	415-5306
Price	\$	\$	\$

Cat High Capacity Buckets are well suited for work in lower density soils and light materials.

HIGH CAPACITY BUCKETS				PIN LOCK 1/4 YD	
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons
Width - in (mm)	16 (406)	18 (457)	24 (610)	30 (762)	36 (914)
Capacity - ft3 (L)	5.7 (160)	6.4 (180)	9.2 (260)	12.7 (360)	16.2 (460)
Weight - lb (kg)	337 (153)	357 (162)	428 (194)	489 (222)	560 (254)
Part Number	247-1954	247-1955	247-1956	247-1957	247-1958
Price	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



HEAVY DUTY BUCKETS

Heavy Duty Buckets are designed for maximum performance and value over a broad range of applications in abrasive applications such as mixed dirt, clay, and rock.

HEAVY DUTY BUCKETS				PIN ON
Machine Class	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons
Width - in (mm)	12 (305)	16 (406)	18 (457)	20 (508)
Capacity - ft3 (L)	1.7 (48)	2.5 (70.8)	2.9 (82.1)	3.3 (93.4)
Weight - lb (kg)	143 (65)	164 (74)	181 (82)	192 (87)
Part Number	464-9900	464-9901	464-9902	464-9903
Price	\$	\$	\$	\$

HEAVY DUTY BUCKETS						PIN ON	
Machine Class	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Width - in (mm)	24 (619)	20 (508)	30 (762)	36 (914)	12 (305)	16 (406)	18 (457)
Capacity - ft3 (L)	4.2 (118.9)	3.3 (94.4)	5.6 (158.6)	7.1 (200)	2.1 (59.5)	2.7 (76.5)	3.1 (87.8)
Weight - lb (kg)	216 (98)	192 (87)	258 (117)	293 (133)	157 (71)	174 (79)	194 (88)
Part Number	464-9904	535-8403	464-9905	464-9906	464-9907	464-9908	464-9909
Price	\$	\$	\$	\$	\$	\$	\$

HEAVY DUTY BUCKETS						PIN ON	
Machine Class	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Width - in (mm)	20 (508)	24 (619)	24 (610)	30 (762)	36 (914)	36 (914)	36 (914)
Capacity - ft3 (L)	3.6 (101.9)	4.6 (130.3)	4.6 (130)	6.1 (172.7)	7.8 (220.9)	7.8 (220)	7.8 (220)
Weight - lb (kg)	207 (94)	234 (106)	234 (109)	280 (127)	322 (146)	320 (148)	320 (148)
Part Number	464-9910	464-9911	535-8405	464-9912	464-9913	537-7604	537-7604
Price	\$	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



HEAVY DUTY BUCKETS

HEAVY DUTY BUCKETS					PIN ON
Machine Class	10 Ton	10 Ton	10 Ton	10 Ton	10 Ton
Width - in (mm)	18 (457)	24 (610)	30 (762)	36 (914)	42 (1067)
Capacity - ft ³ (L)	6.4 (180)	9.5 (270)	12.4 (350)	15.9 (450)	19.1 (540)
Weight - lb (kg)	448 (203)	496 (225)	567 (257)	664 (301)	745 (338)
Part Number	547-7030	547-7031	547-7032	547-7033	547-7034
Price	\$	\$	\$	\$	\$

HEAVY DUTY BUCKETS					PIN LOCK 1/4 YD	
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons
Width - in (mm)	12 (300)	16 (406)	18 (457)	24 (610)	30 (762)	36 (914)
Capacity - ft ³ (L)	3.4 (96)	4.2 (120)	4.9 (139)	7.3 (207)	9.9 (280)	12 (340)
Weight - lb (kg)	249 (113)	298 (135)	304 (138)	370 (168)	443 (201)	509 (231)
Part Number	247-1947	247-1948	247-1949	247-1950	247-1951	247-1952
Price	\$	\$	\$	\$	\$	\$



**HEAVY DUTY BUCKETS
PIN LOCK**

HEAVY DUTY BUCKETS					PIN LOCK 1/2 YD	
Machine Class	10 Ton	10 Ton	10 Ton	10 Ton	10 Ton	10 Ton
Width - in (mm)	18 (463)	24 (616)	36 (921)	48 (1226)		
Capacity - ft ³ (L)	7.1 (200)	10.6 (300)	17.7 (500)	28.3 (800)		
Weight - lb (kg)	551 (250)	664 (301)	860 (390)	1054 (478)		
Part Number	527-7302	528-8034	528-8784	528-8786		
Price	\$	\$	\$	\$		

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

HEAVY DUTY ROCK BUCKETS



HEAVY DUTY ROCK BUCKETS							PIN ON
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons
Width - in (mm)	13 (330)	18 (457)	24 (610)	30 (762)	36 (914)	24 (610)	30 (762)
Capacity - ft3 (L)	3.5 (99)	5.3 (150)	8.1 (230)	10.9 (309)	13.7 (388)	8.1 (230)	10.9 (309)
Weight - lb (kg)	300 (136)	333 (151)	394 (178)	456 (207)	507 (230)	428 (194)	492 (223)
Part Number	305-6813	295-5951	295-5952	295-5953	295-5954	295-5970	295-5971
Price	\$	\$	\$	\$	\$	\$	\$



HEAVY DUTY CAPACITY BUCKETS PIN ON

HEAVY DUTY CAPACITY BUCKETS - LARGE				PIN ON
Machine Class	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Width - in (mm)	12 (305)	16 (406)	18 (457)	20 (508)
Capacity - ft3 (L)	2.9 (82.1)	3.7 (104.8)	4.4 (124.6)	5.1 (144.4)
Weight - lb (kg)	185 (84)	205 (93)	227 (103)	240 (109)
Part Number	464-9914	464-9915	464-9916	464-9917
Price	\$	\$	\$	\$

HEAVY DUTY / LARGE CAPACITY BUCKETS					PIN ON
Machine Class	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Width - in (mm)	24 (619)	24 (619)	30 (762)	36 (914)	36 (914)
Capacity - ft3 (L)	6.4 (181.2)	6.4 (181.2)	8.5 (240.7)	10.6 (300.2)	10.6 (300.2)
Weight - lb (kg)	271 (123)	271 (123)	322 (146)	368 (157)	368 (157)
Part Number	464-9918	535-8407	464-9919	464-9920	537-7606
Price	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



COMPACTION WHEELS

Cat compaction wheels provide a low cost option for trench compaction. The wheels feature tapered roller bearings and tampered foot design for smooth operation. Six to ten passes are usually adequate to achieve compaction in normal soil conditions, dependent on the required compaction levels.

Pin on compaction wheels can be used in combination with applicable pin grabber quick coupler.

COMPACTION WHEELS				PIN ON		
Machine Class	1 Ton	1 Ton	1 Ton	2 Ton	2 Ton	2 Ton
Overall Width - in (mm)	12 (292)	16 (399)	22 (553)	12 (313)	16 (399)	22 (553)
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)	11 (271)	16 (399)	22 (553)
Overall Height - in (mm)	30 (752)	31 (792)	31 (792)	31 (787)	33 (827)	33 (827)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)	29 (725)	27 (693)	27 (693)
Weight - lb (kg)	342 (155)	476 (216)	569 (258)	355 (161)	489 (222)	582 (264)
Number of Wheels	2	3	4	2	3	4
Number of Pads	16	24	32	16	24	32
Interface Type	Pin On	Pin On	Pin On	Pin On	Pin On	Pin On
Part Number	517-6970	517-6971	517-6972	517-6973	517-6974	517-6975
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

COMPACTION WHEELS					PIN ON	
Machine Class	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Overall Width - in (mm)	12 (309)	16 (399)	22 (553)	14 (343)	16 (399)	22 (553)
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)	11 (271)	16 (399)	22 (553)
Overall Height - in (mm)	32 (806)	33 (846)	33 (846)	33 (829)	34 (868)	34 (868)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)	29 (726)	27 (693)	27 (693)
Weight - lb (kg)	357 (162)	494 (224)	586 (266)	375 (170)	507 (230)	602 (273)
Number of Wheels	2	3	4	2	3	4
Number of Pads	16	24	32	16	24	32
Interface Type	Pin On	Pin On	Pin On	Pin On	Pin On	Pin On
Part Number	517-6976	517-6977	517-6978	517-6979	517-6980	517-6981
Price	\$	\$	\$	\$	\$	\$

COMPACTION WHEELS			PIN ON	
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons
Overall Width - in (mm)	13 (338)	18 (449)	22 (556)	35 (884)
Compaction Width - in (mm)	12 (306)	18 (449)	22 (556)	35 (884)
Overall Height - in (mm)	45 (1152)	46 (1165)	46 (1165)	46 (1164)
Overall Length - in (mm)	39 (998)	39 (997)	39 (997)	42 (1073)
Weight - lb (kg)	915 (415)	1228 (557)	1268 (575)	35 (882)
Number of Wheels	2	3	3	5
Number of Pads	18	27	27	45
Interface Type	Pin On	Pin On	Pin On	Pin On
Part Number	517-6988	517-6989	517-6990	517-6991
Price	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

COMPACTION WHEELS PIN LOCK

Pin lock compaction wheels can be used with applicable pin lock coupler.



COMPACTION WHEELS	PIN LOCK 1/8 YD					
Machine Class	1 Ton	1 Ton	1 Ton	1 Ton	1 Ton	1 Ton
Overall Width - in (mm)	12 (292)	16 (399)	22 (553)	12 (292)	16 (399)	22 (553)
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)	11 (271)	16 (399)	22 (553)
Overall Height - in (mm)	36 (921)	38 (961)	38 (961)	36 (901)	37 (941)	37 (941)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)	29 (726)	27 (693)	27 (693)
Weight - lb (kg)	395 (179)	529 (240)	622 (282)	390 (177)	523 (237)	617 (280)
Number of Wheels	2	3	4	2	3	4
Number of Pads	16	24	32	16	24	32
Interface Type	Wain Roy	Wain Roy	Wain Roy	TAG	TAG	TAG
Part Number	517-6982	517-6983	517-6984	517-6985	517-6986	517-6987
Price	\$	\$	\$	\$	\$	\$

COMPACTION WHEELS	PIN LOCK 1/8 YD					
Machine Class	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton
Overall Width - in (mm)	12 (292)	16 (399)	22 (553)	12 (292)	16 (399)	29 (553)
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)	11 (271)	16 (399)	22 (553)
Overall Height - in (mm)	36 (921)	38 (961)	38 (961)	36 (901)	37 (941)	37 (941)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)	29 (726)	27 (693)	27 (693)
Weight - lb (kg)	395 (179)	529 (240)	622 (282)	390 (177)	523 (237)	617 (280)
Number of Wheels	2	3	4	2	3	4
Number of Pads	16	24	32	16	24	32
Interface Type	Wain Roy	Wain Roy	Wain Roy	TAG	TAG	TAG
Part Number	517-6982	517-6983	517-6984	517-6985	517-6986	517-6987
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

COMPACTION WHEELS				PIN LOCK 1/8 YD		
Machine Class	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons	3 - 4 Tons
Overall Width - in (mm)	12 (292)	16 (399)	22 (553)	12 (292)	16 (399)	22 (553)
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)	11 (271)	16 (399)	22 (553)
Overall Height - in (mm)	36 (921)	38 (961)	38 (961)	36 (901)	37 (941)	37 (941)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)	29 (726)	27 (693)	27 (693)
Weight - lb (kg)	395 (179)	529 (240)	622 (282)	390 (177)	523 (237)	617 (280)
Number of Wheels	2	3	4	2	3	4
Number of Pads	16	24	32	16	24	32
Interface Type	Wain Roy	Wain Roy	Wain Roy	TAG	TAG	TAG
Part Number	517-6982	517-6983	517-6984	517-6985	517-6986	517-6987
Price	\$	\$	\$	\$	\$	\$

COMPACTION WHEELS				PIN LOCK 1/8 YD		
Machine Class	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Overall Width - in (mm)	12 (292)	16 (399)	22 (553)	12 (292)	16 (399)	22 (553)
Compaction Width - in (mm)	11 (271)	16 (399)	22 (553)	11 (271)	16 (399)	22 (553)
Overall Height - in (mm)	36 (921)	38 (961)	38 (961)	36 (901)	37 (941)	37 (941)
Overall Length - in (mm)	29 (726)	27 (693)	27 (693)	29 (726)	27 (693)	27 (693)
Weight - lb (kg)	395 (179)	529 (240)	622 (282)	390 (177)	523 (237)	617 (280)
Number of Wheels	2	3	4	2	3	4
Number of Pads	16	24	32	16	24	32
Interface Type	Wain Roy	Wain Roy	Wain Roy	TAG	TAG	TAG
Part Number	517-6982	517-6983	517-6984	517-6985	517-6986	517-6987
Price	\$	\$	\$	\$	\$	\$

COMPACTION WHEELS		PIN LOCK 1/4 YD		
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	
Overall Width - in (mm)	12 (312)	17 (439)	22 (559)	
Compaction Width - in (mm)	11 (286)	17 (439)	22 (559)	
Overall Height - in (mm)	48 (1207)	47 (1181)	46 (1179)	
Overall Length - in (mm)	39 (995)	39 (991)	39 (991)	
Weight - lb (kg)	836 (379)	1074 (487)	1142 (518)	
Number of Wheels	2	3	3	
Number of Pads	18	24	27	
Interface Type	Wain Roy	Wain Roy	Wain Roy	
Part Number	517-6995	517-6996	517-6997	
Price	\$	\$	\$	

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



**PIN LOCK
MANUAL
COUPLERS**

Fully compatible with Wain-Roy and Gannon-style buckets, the Cat Pin Lock/Tilt Lock Coupler system is the key to new levels of performance on any Cat Mini Excavator. New machines can take advantage of existing bucket inventory. New buckets and work tools can be shared with similarly-sized competitive machines across a fleet. One machine can fill many roles on a job site.

PIN LOCK MANUAL COUPLERS

Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons
Interface Type - Top	Pin On	Pin On/tilting	Pin On
Interface Type - Bottom	1/4 yd	1/4 yd	1/4 yd
Pin Diameter - in (mm)	2 (50)	1.8 (45)	1.8 (45)
Overall Height - in (mm)	16 (406)	22 (567)	17 (432)
Length - in (mm)	26 (660)	24 (605)	25 (626)
Width - in (mm)	14 (347)	17 (428)	13 (339)
Weight - lb (kg)	174 (79)	256 (116)	174 (79)
Part Number	485-0314	226-1128	226-1127
Price	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Dual Lock™ pin grabber couplers allow operators to change attachments in seconds, increasing job efficiency and enabling one machine to do multiple tasks. We offer two, easy-to-use options: hydraulic (controlled from the cab) and mechanical. All Cat models include primary and secondary locking systems to ensure what you put on your machine, stays on.



**DUAL LOCK™
MANUAL
QUICK COUPLERS
PIN GRABBER**



DUAL LOCK™ MANUAL QUICK COUPLERS

Machine Class	1 Ton	2 Ton	3 - 4 Tons	5 - 6 Tons	7 - 9 Tons
Interface Type - Top	Pin On	Pin On	Pin On	Pin On	Pin On
Interface Type - Bottom	Pin Grabber	Pin Grabber	Pin Grabber	Pin Grabber	Pin Grabber
Pin Diameter - in (mm)	1.2 (30)	1.4 (35)	1.6 (40)	1.8 (45)	2 (50)
Overall Height - in (mm)	7 (179)	8 (192)	9 (221)	12 (292)	15 (370)
Length - in (mm)	12 (297)	14 (358)	17 (429)	21 (528)	23 (591)
Width - in (mm)	7 (182)	9 (240)	11 (269)	12 (298)	12 (292)
Weight - lb (kg)	35 (16)	38 (17)	82 (37)	124 (56)	196 (89)
Part Number	361-1092	361-1093	444-7494	444-7496	444-7498
Price	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



**DUAL LOCK
HYDRAULIC
QUICK COUPLERS
PIN GRABBER**

DUAL LOCK HYDRAULIC QUICK COUPLERS

Machine Class	3 - 4 Tons	5 - 6 Tons	7 - 9 Tons	10 Ton
Interface Type - Top	Pin On	Pin On	Pin On	Pin On
Interface Type - Bottom	Pin Grabber	Pin Grabber	Pin Grabber	Pin Grabber
Pin Diameter - in (mm)	1.6 (40)	1.8 (45)	2 (50)	2.4 (60)
Overall Height - in (mm)	11 (266)	11 (272)	14 (347)	14 (348)
Length - in (mm)	17 (423)	21 (528)	23 (595)	31 (775)
Width - in (mm)	10 (252)	11 (272)	15 (370)	15 (379)
Weight - lb (kg)	90 (41)	170 (77)	212 (96)	337 (153)
Part Number	485-5300	485-5301	485-5302	485-5306
Price	\$	\$	\$	\$

S Type Couplers for Mini Excavators are an optimal design for a dedicated quick coupler solution. Low offset, Pin Grabber ability, and a wedge type locking system ensures a tight fit, no attachment play during use. It also creates the solution to exchange worktools among different platforms and brands. In combination with the Tilt Rotate System that can be equipped with an S Type Coupler and the variety of different buckets offered, it provides a complete attachment solution for Mini Excavators. The coupler is designed with the highest safety standards and comes with a visible locking mechanism.



**S-TYPE HYDRAULIC
QUICK COUPLERS**

S-TYPE HYDRAULIC QUICK COUPLERS

Machine Class	7 - 9 Tons	7 - 9 Tons	10 Ton	10 Ton
Interface Type - Top	Pin On	Pin On	Pin On	Pin On
Interface Type - Bottom	S-50	S-50	S-50	S-50
Hydraulic Locking Control System	No	Yes	No	Yes
Pin Diameter - in (mm)	2 (50)	2 (50)	2.4 (60)	2.4 (60)
Overall Height - in (mm)	12.5 (318)	12.5 (318)	13 (330)	13 (330)
Length - in (mm)	25 (630)	25 (630)	27 (689)	27 (689)
Width - in (mm)	14 (343)	14 (343)	14 (353)	14 (353)
Weight - lb (kg)	197 (89)	197 (89)	215 (98)	215 (98)
Lifting hook capacity- lb (kg)	6614 (3000)	6614 (3000)	6614 (3000)	6614 (3000)
Part Number	576-1200	576-1201	576-1202	576-1203
Price	\$		\$	

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



**TILTING DUAL LOCK
HYDRAULIC
QUICK COUPLERS**

TILTING DUAL LOCK HYDRAULIC QUICK COUPLERS		
Machine Class	5 - 6 Tons	7 - 9 Tons
Interface Type - Top	Pin On	Pin On
Interface Type - Bottom	Pin-Grabber	Pin-Grabber
Pin Diameter - in (mm)	1.8 (45)	2 (50)
Overall Height - in (mm)	22 (546)	24 (601)
Length - in (mm)	23 (574)	25 (622)
Width - in (mm)	12 (298)	15 (370)
Weight - lb (kg)	256 (116)	198 (90)
Part Number	485-5304	485-5305
Price	\$	\$

Tilting Dual Lock Pin Grabber Couplers - Mini Excavator allow work tools to be changed quickly - improving overall production and increasing machine versatility. The Tilting Dual Lock Coupler maintains a tight fit with an innovative wedge design throughout the life of the coupler. It can be used with compatible pin-on work tools and in front shovel mode with buckets. The Tilting Dual Lock Coupler also comes with a visible locking mechanism for added security.



MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



Cat Flail Mowers are designed for high performance cutting of vegetation, saplings, overgrown agricultural areas, retention ponds, and forested terrain. The hydraulic flail mowers reduce weeds, saplings, shrubs and small trees into mulched material, making them ideal for environmental maintenance applications, such as mowing along ditches, fence rows and retention ponds, controlling overgrowth, and cleaning up high banks and slopes.



FLAIL MOWERS

FLAIL MOWERS (INCLUDES PIN ON BRACKET)		PIN ON
MODEL	HMF110	HMF210
Machine Class	5 - 6 Tons	7 - 9 Tons
Overall Width - in (mm)	47 (1184)	47 (1184)
Working Width - in (mm)	39 (1000)	39 (1000)
Overall Height - in (mm)	29 (741)	30 (766)
Overall Length - in (mm)	33 (842)	33 (842)
Weight - lb (kg)	831 (377)	844 (383)
Required Hydraulics	Std Flow	Std Flow
Part Number	504-6010	504-6011
Price	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Hammers are high performance breakers, designed for maximum performance on demolition, construction and road work. Check with your local Cat dealer for the mounting bracket and hydraulic lines to match the hammer of choice.



HAMMERS (2 TOOLS INCLUDED)



**HAMMER TOOL KIT
INCLUDED WITH B
HAMMERS**

HAMMERS				
MODEL	B1	B1s	B2	B2s
Height Without Tool - in (mm)	27 (688)	29 (727)	30 (754)	31 (795)
Overall Height - in (mm)	38 (968)	39 (977)	43 (1080)	43 (1091)
Overall Length - in (mm)	12 (300)	12 (300)	12 (300)	12 (300)
Overall Width - in (mm)	13 (340)	13 (340)	13 (340)	13 (340)
Tool Shaft Diameter	1.57 (40)	1.57 (40)	1.77 (45)	1.77 (45)
Operating Weight - With Tool - lb (kg)	183 (83)	190 (86)	253 (115)	258 (117)
Minimum Operating Pressure - psi (kPa)	1276 (8798)	1276 (8798)	1276 (8798)	1276 (8798)
Sound - dB	122	118	128	122
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	532-9101	532-9201	532-9102	532-9202
Price	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR

ATTACHMENTS | 2020

HAMMERS (CONT.)

MODEL	B4	B4s	B6	B6s
Height Without Tool - in (mm)	33 (830)	34 (871)	37 (948)	39 (999)
Overall Height - in (mm)	48 (1224)	49 (1234)	56 (1422)	57 (1439)
Overall Length - in (mm)	11.8 (300)	11.8 (300)	12.4 (316)	12.4 (316)
Overall Width - in (mm)	13 (340)	13 (340)	17 (440)	17 (440)
Tool Shaft Diameter	2.09 (53)	2.09 (53)	2.68 (68)	2.68 (68)
Operating Weight - With Tool - lb (kg)	351 (159)	357 (162)	571 (259)	611 (277)
Minimum Operating Pressure - psi (kPa)	1492 (10286)	1492 (10286)	1775 (12238)	1775 (12238)
Sound - dB	128	124	128	124
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	532-9104	532-9204	532-9106	532-9206
Price	\$	\$	\$	\$

HAMMERS (CONT.)

MODEL	B8	B8s	B9	B9s
Height Without Tool - in (mm)	40 (1005)	41 (1050)	51 (1298)	51 (1296)
Overall Height - in (mm)	56 (1412)	56 (1420)	69 (1753)	68 (1733)
Overall Length - in (mm)	12 (316)	12 (316)	21 (530)	21 (530)
Overall Width - in (mm)	17 (440)	17 (440)	16 (400)	16 (400)
Tool Shaft Diameter	2.95 (75)	2.95 (75)	3.35 (85)	3.35 (85)
Operating Weight - With Tool - lb (kg)	1005 (456)	992 (450)	1166 (529)	1142 (518)
Minimum Operating Pressure - psi (kPa)	1704 (11749)	1704 (11749)	1846 (12728)	1846 (12728)
Sound - dB	133	129	135	125
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	532-9108	532-9208	532-9109	532-9209
Price	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

HAMMERS - SIDE MOUNT

MODEL	B2 Side Mount	B6 Side Mount	B8 Side Mount
Height Without Tool - in (mm)	30 (750)	37 (926)	40 (1016)
Overall Height - in (mm)	42 (1076)	53 (1353)	58 (1484)
Overall Length - in (mm)	15 (391)	26 (671)	29 (730)
Overall Width - in (mm)	9 (217)	14 (355)	15 (385)
Tool Shaft Diameter	1.77 (45)	2.68 (68)	2.95 (75)
Operating Weight - With Tool - lb (kg)	273 (124)	562 (255)	774 (351)
Minimum Operating Pressure - psi (kPa)	1276 (8800)	1775 (12238)	1704 (11749)
Sound - dB	128	128	133
Required Hydraulics	STD Flow	STD Flow	STD Flow
Part Number	576-5540	532-9306	532-9308
Price	\$	\$	\$



MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



**HAMMER TOOL KIT
INCLUDED WITH H
HAMMERS**



HAMMERS

MODEL	H35s	H45s	H55s	H65s	H80s	H95s
Height Without Tool - in (mm)	24 (620)	29 (737)	31 (784)	38 (953)	42 (1057)	49 (1250)
Overall Height - in (mm)	34 (860)	40 (1006)	44 (1108)	52 (1324)	56 (1433)	66 (1666)
Overall Length - in (mm)	12 (311)	12 (311)	18 (451)	18 (451)	21 (535)	21 (520)
Overall Width - in (mm)	12 (300)	12 (300)	14 (346)	14 (346)	19 (485)	20 (512)
Tool Shaft Diameter	1.57 (40)	1.97 (50)	2.28 (58)	2.68 (68)	2.95 (75)	3.44 (87.5)
Operating Weight - Without Tool - lb (kg)	214 (97)	265 (120)	459 (208)	534 (242)	725 (329)	1109 (503)
Minimum Operating Pressure - psi (kPa)	1450 (10000)	1450 (10000)	1450 (10000)	1450 (10000)	1450 (10000)	1450 (10000)
Maximum Operating Pressure - psi (kPa)	2393 (16500)	2393 (16000)	2393 (16500)	2393 (16500)	2538 (17500)	2495 (17200)
Minimum Flow - gpm (L/min)	(15)	(25)	8 (30)	11 (40)	19 (70)	19 (70)
Maximum Flow - gpm (L/min)	(35)	(60)	23 (85)	30 (115)	34 (130)	40 (150)
Sound - dB	120	120	120	124	120	124
Required Hydraulics	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow	STD Flow
Part Number	561-2548	561-2549	561-2551	561-2552	561-2553	561-2555
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



MOIL



**CHISEL
INLINE**



**CHISEL
CROSSCUT**



CONE




BLUNT



**SPADE
PARALLEL**



**SPADE
TRANSVERSE**



**COMPACTING
PLATE**

H MODEL HAMMERS ONLY

HAMMER - TOOLS

Tool	B1	B2	B4	B6	B8	B9
Moil	532-9151	532-9175	532-9190	523-3193	532-9120	532-9219
Price	\$	\$	\$	\$	\$	\$
Chisel, Inline	542-1752	542-1756	542-1760	523-3191	532-9121	542-1764
Price	\$	\$	\$	\$	\$	\$
Chisel, Crosscut	542-1753	542-1757	542-1761	523-3197	532-9119	542-1765
Price	\$	\$	\$	\$	\$	\$
Cone	542-1750	542-1754	542-1758	523-3195	532-9118	542-1762
Price	\$	\$	\$	\$	\$	\$
Blunt	542-1751	542-1755	542-1759	523-3196	532-9117	542-1763
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

HAMMER - TOOLS

Tool	H35	H45	H55	H65	H80s	H95s
Moil	N/A	N/A	N/A	N/A	N/A	N/A
Price	\$	\$	\$	\$	\$	\$
Chisel, Inline	423-8333	423-8327	423-8310	423-8307	369-1549	369-0793
Price	\$	\$	\$	\$	\$	\$
Chisel, Crosscut	428-8033	428-8025	428-8024	248-8022	399-1711	399-1710
Price	\$	\$	\$	\$	\$	\$
Cone	423-8334	423-8329	423-8312	423-8308	369-1548	369-0792
Price	\$	\$	\$	\$	\$	\$
Blunt	423-8336	423-8331	423-8314	423-8309	376-7947	373-7159
Price	\$	\$	\$	\$	\$	\$
Spade Parallel	433-9659	423-9657	433-9655	433-9653	381-6720	N/A
Price	\$	\$	\$	\$	\$	\$
Spade Transverse	433-9658	433-9656	433-9654	433-9652	381-6719	N/A
Price	\$	\$	\$	\$	\$	\$
Compacting Plate	433-9645	433-9646	433-9648	433-9651	381-6721	N/A
Price	\$	\$	\$	\$	\$	\$



MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Mulchers are designed for high performance cutting and mulching of vegetation, saplings, and undergrowth from overgrown agricultural areas and forested terrain. The hydraulic mulchers reduce saplings, shrubs and trees into mulched material, making it ideal for environmental maintenance, such as brush clearing and creating fire lanes. Other applications include: reclaiming untillied land, removing foliage from building construction sites and shredding pruned material and organic waste for biomass production.



MULCHERS

MULCHERS (INCLUDES PIN-ON BRACKET)		
MODEL	HM208	HM210
Machine Class	7 - 9 Tons	7 - 9 Tons
Overall Width - in (mm)	40 (1026)	48 (1226)
Working Width - in (mm)	32 (818)	40 (1012)
Overall Height - in (mm)	42 (1065)	42 (1065)
Overall Length - in (mm)	28 (714)	28 (714)
Weight - lb (kg)	1080 (490)	1091 (540)
Required Hydraulics	Std Flow	Std Flow
Part Number	504-6012	504-6013
Price	\$	\$



MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Excavator Rakes are used for grubbing, piling, and loading trucks and grinders in the General Construction and Forestry industries.



RAKE

RAKE	PIN ON
Machine Class	7 - 9 Tons
Overall Width - in (mm)	27 (690)
Overall Height - in (mm)	41 (1029)
Overall Length - in (mm)	49 (1238)
Weight - lb (kg)	671 (304)
Part Number	456-5071
Price	\$



SCRAP SHEAR

Cat Shears rotate 360 degrees for rapid repositioning and are designed with a straight, lower jaw to improve the cutting force.

SCRAP SHEAR		
MODEL - Legacy	S305	S305
MODEL - Current	S308	S308
Machine Class	5 - 6 Tons	7 - 9 Tons
Height - in (mm)	26 (660)	26 (660)
Width - in (mm)	15 (390)	15 (390)
Length - in (mm)	67 (1709)	67 (1709)
Jaw Opening - in (mm)	9 (240)	9 (240)
Required Hydraulics	Std Flow	Std Flow
Weight - lb (kg)	1213 (550)	1213 (550)
Part Number	171-5495	171-5495
Price	\$	\$
Lines Gp	231-7108	359-9831
Price	\$	\$
Boom Mounted bracket 305D/E CR	283-4187	N/A
Price	\$	\$
Boom Mounted bracket 305.5E CR	449-9083	N/A
Price	\$	\$
Stick Mounted bracket	N/A	318-4863
Price	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Built to cut through dense dirt, loosen rocky soil and break below the frost layer, Cat Rippers are taking on some of the most challenging ground conditions. And because they are made for specific Cat models, they can better transfer machine power into ripping power.



RIPPERS				PIN ON
Machine Class	3 - 4 Tons	5 - 6 Tons	7 - 9 Tons	10 Ton
Size - in (mm)	19 (490)	27 (676)	34 (861)	37 (947)
Part Number	453-8570	453-8571	453-8572	546-4141
Price	\$	\$	\$	\$



MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Thumbs are versatile tools designed to work with the Cat Mini Hydraulic Excavator bucket to easily grab, pick up, handle and load irregular or loose material, which would otherwise be difficult to handle with a bucket only. Thumbs are ideal for handling wooden logs, poles, brush, metal, trash, rock and debris in site cleanup, land clearing, landscaping, material handling and construction applications.



THUMBS - HYDRAULIC

THUMBS - HYDRAULIC				PIN ON
Machine Class	1 Ton	2 Ton	3 - 4 Tons	5 - 6 Tons
Part Number	555-8424	451-6380	452-2740	575-0496
Price	\$	\$	\$	\$

THUMBS - HYDRAULIC

Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	10 Ton
Hydraulic Pin-On	Pin On	Pin Grabber	Pin On	Pin Grabber	Pin On
Link Style	No	No	Yes	Yes	No
Part Number	305-6740	305-6741	305-6744	305-6745	540-6735
Price	\$	\$	\$	\$	\$



THUMBS - HYDRAULIC FOR 302.5C

Machine Class	2 Ton
Type	Pin On
Part Number	291-1429
Price	\$



THUMBS - STIFF LINK

Machine Class	7 - 9 Tons	7 - 9 Tons
Hydraulic Pin-On	Pin On	Pin Grabber
Part Number	305-6742	305-6743
Price	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Vibratory Plate Compactors are used for compacting soil, sand or gravel prior to pouring concrete or laying asphalt surfaces. They are also ideal for asphalt patch work. Their capabilities and lower investment and maintenance costs make them popular with pavers, general contractors and utility contractors in residential, commercial or industrial applications.

VIBRATORY PLATE COMPACTORS			
MODEL	CVP16	CVP16	CVP16
Machine Class	2 Ton	3 - 4 Tons	5 - 6 Tons
Base Plate Width - in (mm)	12 (305)	12 (305)	12 (305)
Compaction Area - ft2 (m2)	2 (0.19)	2 (0.19)	2 (0.19)
Base Plate Length - in (mm)	24 (605)	24 (605)	24 (605)
Weight - lb (kg)	476 (905)	476 (905)	476 (905)
Part Number	551-4956	551-4956	551-4956
Price	\$	\$	\$
Lines Gp	203-0998	203-0977	203-0983
Price	\$	\$	\$



**VIBRATORY PLATE
COMPACTOR**

VIBRATORY PLATE COMPACTORS		
MODEL	CVP40	CVP40
Machine Class	7 - 9 Tons	10 Ton
Base Plate Width - in (mm)	23 (590)	
Compaction Area - ft2 (m2)	6.1 (0.57)	
Base Plate Length - in (mm)	38 (965)	
Weight - lb (kg)	886 (402)	
Part Number	551-4957	
Price	\$	
Lines Gp	490-0015	
Price	\$	



BACKFILL BLADE

BACKFILL BLADE		
MODEL	CVP16	CVP40
Part Number	222-6443	211-8200
Price	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020



SWIVEL HEAD

SWIVEL HEAD		
MODEL	CVP16	CVP40
Part Number	265-7461	264-5907
Price	\$	\$

BRACKET



BRACKET

Machine Class	2 Ton	3 - 4 Tons	5 - 6 Tons	7 - 9 Tons	7 - 9 Tons	10 Ton
Interface Type	Pin On	Pin On	Pin On	Pin On	Pin Lock	Pin On
Part Number	438-7184	532-9063	569-5414	564-9840	416-8031	564-9843
Price	\$	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Tiltrotators for excavators provide 360-degree rotation and 40-degree tilting action side-to-side, allowing the machine to reach more work areas from a single position. The tiltrotator enables the operator to maneuver around posts, rocks, and other obstacles, as well as to more easily reach along ditch edges.



**TILT ROTATOR
SYSTEM
TRS6**



TILT ROTATOR SYSTEM - NEXT GENERATION MHE ONLY					
MODEL	TRS6	TRS6	TRS6	TRS6	TRS6
Machine Class	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons	5 - 6 Tons
Top Interface	S-40	S-40	PO-PG	PO-PG	Pin-On
Bottom Interface	S-40	S-40	S-40	S-40	Pin Grabber
Grapple	No	Yes	Yes	No	No
Overall Height - in (mm)	32 (819)	32 (819)	32 (819)	32 (819)	36 (905)
Length - in (mm)	21 (526)	24 (609)	24 (609)	21 (526)	21 (526)
Overall Width - in (mm)	19 (490)	23 (574)	23 (574)	19 (490)	19 (490)
Weight - lb (kg)	463 (210)	540 (245)	540 (245)	463 (210)	463 (210)
Part Number	585-0421	585-0422	585-0423	585-0424	585-0425
Price	\$	\$	\$	\$	\$
Lines to Auxillary QD	585-0454	585-0454	585-0454	585-0454	585-0454
Price	\$	\$	\$	\$	\$
Kit - TRS Joystick	570-7210	570-7210	570-7210	570-7210	570-7210
Price	\$	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

TILT ROTATOR SYSTEM - NEXT GENERATION MHE ONLY

MODEL	TRS8	TRS8	TRS8	TRS8
Machine Class	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons	7 - 9 Tons
Top Interface	S-50	S-50	Pin-On	Pin-On
Bottom Interface	S-50	S-50	Pin Grabber	S-50
Grapple	Yes	No	No	No
Overall Height - in (mm)	38 (958)	37 (945)	39 (1001)	37 (947)
Length - in (mm)	42 (1053)	24 (608)	26 (665)	25 (640)
Overall Width - in (mm)	27 (678)	27 (678)	27 (678)	27 (678)
Weight - lb (kg)	794 (360)	683 (310)	683 (310)	683 (310)
Part Number	570-7120	570-7121	570-7122	570-7124
Price	\$	\$	\$	\$
Lines to Auxillary QD	577-1587	577-1587	577-1587	577-1587
Price	\$	\$	\$	\$
Kit - TRS Joystick	570-7210	570-7210	570-7210	570-7210
Price	\$	\$	\$	\$
Kit - Harness	577-1565	577-1565	577-1565	577-1565
Price	\$	\$	\$	\$

TILT ROTATOR SYSTEM TRS8

TILT ROTATOR SYSTEM TRS6 - NEXT GENERATION ONLY

MODEL	TRS8	TRS8	TRS8	TRS8
Machine Class	10 Ton	10 Ton	10 Ton	10 Ton
Top Interface	S-50	S-50	Pin On	Pin On
Bottom Interface	S-50	S-50	Pin Grabber	S-50
Grapple	Yes	No	No	No
Overall Height - in (mm)	38 (958)	37 (945)	41 (1044)	37 (947)
Length - in (mm)	42 (1053)	24 (608)	26 (650)	25 (635)
Overall Width - in (mm)	27 (678)	27 (678)	27 (678)	27 (678)
Weight - lb (kg)	794 (360)	683 (310)	683 (310)	683 (310)
Part Number	570-7120	570-7121	570-7123	570-7125
Price	\$	\$	\$	\$
Lines to Auxillary QD	577-1587	577-1587	577-1587	577-1587
Price	\$	\$	\$	\$
Kit - TRS Joystick	570-7210	570-7210	570-7210	570-7210
Price	\$	\$	\$	\$
Kit - Harness	577-1565	577-1565	577-1565	577-1565
Price	\$	\$	\$	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

Cat Skid Steer Adapters allow connecting to certain recommended Skid Steer Interface Type attachments. Adapters are available for both Mini Hydraulic Excavators and Compact Wheel Loaders, to allow sharing of tools across different machine families and reducing job site storage space storage by eliminating machine specific tools.



**ADAPTERS
SSL TO MHE**

ADAPTERS - SSL TO MHE

Machine Class	3 - 4 Tons	5 - 6 Tons	7 - 9 Tons
Height - in (mm)	20 (505)	22 (557)	22 (557)
Width - in (mm)	44 (1125)	44 (1125)	44 (1125)
Length - in (mm)	18 (463)	19 (476)	20 (505)
Weight - lb (kg)	247 (112)	262 (119)	311 (141)
Interface type	Pin On	Pin On	Pin On
Coupler Type	SSL Coupler	SSL Coupler	SSL Coupler
Part Number	525-5854	542-7262	542-7263
Price	\$	\$	\$



**GENERAL PURPOSE BUCKETS
WITH BOLT-ON CUTTING EDGE**

SSL GENERAL PURPOSE BUCKETS WITH BOLT-ON CUTTING EDGE

Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2036)	86 (2188)
Capacity - yd3 (m3)	0.5 (0.36)	0.5 (0.4)	0.6 (0.44)	0.6 (0.48)	0.8 (0.63)
Height - in (mm)	17 (426)	17 (426)	17 (426)	17 (426)	19 (469)
Length - in (mm)	28 (708)	28 (708)	28 (708)	28 (708)	31 (797)
Weight - lb (kg)	441 (200)	551 (250)	598 (271)	631 (286)	723 (328)
Part Number	279-5365	279-5369*	279-5373*	279-5377**	296-8192**
Price	\$	\$	\$	\$	\$



**GENERAL PURPOSE BUCKETS
WITH BOLT-ON TEETH**

SSL GENERAL PURPOSE BUCKETS WITH BOLT-ON TEETH

Width - in (mm)	62 (1576)	68 (1730)	74 (1883)	80 (2036)	86 (2188)
Capacity - yd3 (m3)	0.5 (0.36)	0.5 (0.4)	0.6 (0.44)	0.6 (0.48)	0.8 (0.63)
Height - in (mm)	17 (426)	17 (426)	17 (426)	17 (426)	19 (469)
Length - in (mm)	28 (708)	28 (708)	28 (708)	28 (708)	31 (797)
Weight - lb (kg)	408 (185)	509 (231)	549 (249)	582 (264)	670 (304)
Part Number	279-5366	279-5370*	279-5374*	279-5378**	296-8191**
Price	\$	\$	\$	\$	\$

COMPATABLE

* 5-6 Tons and up

** 7-9 Tons and up

MINI HYDRAULIC EXCAVATOR

ATTACHMENTS | 2020

XTC ATTACHMENTS (SSL INTERFACE)



**MULTI PURPOSE BUCKET WITH
BOLT-ON CUTTING EDGE**

SSL MULTIPURPOSE BUCKET WITH BOLT-ON CUTTING EDGE

Width - in (mm)	80 (2036)
Capacity - yd3 (m3)	0.5 (0.4)
Height - in (mm)	15 (388)
Length - in (mm)	29 (724)
Weight - lb (kg)	1016 (461)
Part Number	426-6548
Price	\$



**GENERAL PURPOSE BUCKET
WITH BOLT-ON CUTTING EDGE**

SSL GENERAL PURPOSE BUCKET WITH BOLT-ON CUTTING EDGE

Width - in (mm)	80 (2036)
Capacity - yd3 (m3)	0.6 (0.48)
Height - in (mm)	17 (426)
Length - in (mm)	28 (708)
Weight - lb (kg)	631 (286)
Part Number	279-5377
Price	\$



ANGLE BLADE


SSL ANGLE BLADE

Overall Width - in (mm)	87 (2198)
Width Fully Angled - in (mm)	77 (1949)
Length - in (mm)	30 (753)
Weight - lb (kg)	730 (331)
Required Hydraulics	Std Flow
Part Number	177-1990
Price	\$

MINI HYDRAULIC EXCAVATOR ATTACHMENTS | 2020

SSL TRENCHERS

MODEL - Current	T9B
MODEL - Future	T112
Side Shift Control	Manual
Cutting Width - in (mm)	6 (152)
Overall Width - in (mm)	75 (1901)
Overall Length - in (mm)	107 (2705)
Overall Height - in (mm)	31 (786)
Side Shift Travel - in (mm)	22 (559)
Standard Boom Length - in (mm)	48 (1219)
*Weight - lb (kg)	1076 (488)
Required Hydraulics	Std Flow
With Chain	
*Standard	233-2346
Price	\$



STANDARD

SSL ANGLE BROOMS

MODEL - Current	BA118C
MODEL - Future	BA118
Width - in (mm)	104 (2637)
Sweeping Width - in (mm)	83 (2119)
Height - in (mm)	36 (918)
Length - in (mm)	69 (1741)
Weight - lb (kg)	906 (411)
Required Hydraulics	Std Flow
Angling	Manual
Part Number	448-5660
Price	\$



ANGLE BROOMS

SSL POWER BOX RAKES

MODEL - Current	PR172
MODEL - Future	PR118
Angle Control	MANUAL
Overall Width - in (mm)	81 (2057)
Raking Width at Max Angle - in (mm)	68 (1727)
Overall Height - in (mm)	33 (847)
Weight - lb (kg)	900 (408)
Required Hydraulics	Std Flow
Part Number	277-8210
Price	\$



POWER BOX RAKES



AEXQ3092-00 (10-2020)
(N Am, S Am, ANZP, SE Asia)

© 2020 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.